

Phone: Depression and Alcohol Summary

su001re	Random sample selection.
su002re-su012rec	Ever depressed, age, symptoms.
su013re	Count of depression episodes lasting two weeks or more.
su014re-su015re	Length of depression episode for respondents who had ONLY ONE episode.
su016re-su019re	Average duration and average time between episodes for respondents who had more than one depression episode.
su020re-su021re	Age at first and last episodes of depression.
su022re-su023re	Psychological well-being between depression episodes.
su024re	Count of depression symptoms.
su025re-su029re	Consumption of alcoholic beverages / number of days per month/ average number of drinks.
su030re-su036re	Drinking problems/ alcoholic symptoms.
su037re-su038re	Did respondent ever live with a drinker or alcoholic?

NOTE: See Appendix M - MEMO114 and COR571A for references and creation of CES-D depression and alcohol symptom scales.

su001re: Respondent is in 80% random sample for Depression and Alcohol sections.

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: RN15, RU001RE

		Frequencies		
Value	Label	Male	Female	Total
.	System missing - NR	2113	1861	3974
0	NOT included in the alcohol/depression subsample	452	514	966
1	INCLUDED in the alcohol/depression subsample	1872	1966	3838

su002re: Have you ever had a time in life lasting two weeks or more when nearly every day you felt sad, blue, depressed, or when you lost interest in most things like work, hobbies, or things you usually liked to do for fun?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 866f, RU002RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	52	36	88
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE = 0	452	514	966
-1	DON'T KNOW	3	5	8
1	YES	384	582	966
2	NO	1433	1343	2776

su003re: Were your experience with depression always caused by alcohol, drugs, medications, or physical illness?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 866m, RU003RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1	1940	1898	3838
-1	DON'T KNOW	5	4	9
1	YES	119	169	288
2	SOMETIMES	25	35	60
3	NO	235	373	608

Note: If response to SU003RE is "yes", then no further questions about depression are asked.

su004re: What age were you when you experienced the worst, particularly bad, or the most recent period of depression?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 868, 868m, 868s, RU004RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	1	1	2
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	3	2	5
6 - 31		58	82	140
32 - 40		55	106	161
41 - 46		60	91	151
47 - 53		57	81	138
54 - 75		31	50	81

Note: The respondent is first asked to indicate his/her age during worst period of depression. If R can not provide this age, R is then asked to give his/her age during a particularly bad episode of depression. If R still can not provide an age, then age at most recent period of depression is ascertained. SU005RE indicates which age is reported in SU004RE.

su005re: Was this depression the worst, particularly bad, or the most recent episode?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 868, 868m, 868s, RU005RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, RU004RE > 96	2059	2067	4126
1	DATA IS FOR THE WORST SPELL	256	404	660
2	DATA IS FOR A PARTICULARLY BAD SPELL	2	2	4
3	DATA IS FOR THE MOST RECENT SPELL	7	7	14

su006re: During this episode of depression, did the you lose weight without trying to, as much as 2 pounds a week for several weeks or as much as 10 pounds altogether?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 870a, RU006RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	10	9	19
1	YES	89	175	264
2	NO	166	228	394

su007re: Did you have two weeks or more when nearly every night you had trouble falling asleep?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 870b, RU007RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	4	9	13
1	YES	150	253	403
2	NO	111	150	261

su008re: Did you have two weeks or more when you lacked energy or felt tired all the time, even when you had not been working very hard?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 870c, RU008RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	2	9	11
1	YES	196	332	528
2	NO	67	71	138

su009re: Did you have two weeks or more when you felt very bad when waking up, but felt better later in the day?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 870d, RU009RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	13	25	38
1	YES	149	234	383
2	NO	103	153	256

su010re: Did you have two weeks or more when you lost interest in most things like work, hobbies, or things you usually liked to do for fun?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 870e, RU010RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	1	6	7
1	YES	197	331	528
2	NO	67	75	142

su011re: Did you have two weeks or more when nearly every day you had a lot more trouble concentrating than is normal?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 870f, RU011RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	2	6	8
1	YES	192	318	510
2	NO	71	88	159

su012re: Did you have two weeks or more when you thought a lot about death, either your own, someone else's, or death in general?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 870g, RU012RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1	2059	2067	4126
-1	DON'T KNOW	2	4	6
1	YES	133	235	368
2	NO	130	173	303

su013re: How many periods have you had in your lifetime that lasted two weeks or more when you felt sad, blue or depressed?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 872e, 870, RU013RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	1	0	1
-2	Inappropriate INAPPROPRIATE, SU001RE = 0 or SU002RE ^= 1 or SU003RE = 1 or SU024REC < 2	2085	2093	4178
-1	DON'T KNOW	6	25	31
0	NONE	2	6	8
1		124	178	302
2		41	87	128
3		29	35	64
4		7	18	25
5		6	11	17
6		7	8	15
8		2	1	3
9		1	0	1
10		7	10	17
12		0	2	2
15		2	1	3
20		2	1	3
23		1	0	1
25		0	1	1
30		1	1	2
50		0	1	1
100		0	1	1

Note: If respondent did not respond yes to at least 2 of the questions
SU006RE-SU012RE then no further questions about depression are asked.
SU013RE is coded 998 and SU024REC has count of yes's for SU006RE-SU012RE.

su014re: If you have had only one period of depression, how long did you feel sad, blue, or depressed?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 873, RU014RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	0	1	1
-2	INAPPROPRIATE INAPPROPRIATE, SU013RE ^= 1	2200	2302	4502
-1	DON'T KNOW	4	5	9
1		26	50	76
2		33	39	72
3 - 4		24	40	64
5 - 12		24	35	59
14 - 90		13	8	21

su015re: If you have had only one period of depression, what is the unit for length of period when you felt sad, blue, or depressed?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 873a, RU015RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, SU014RE > 996	2204	2308	4512
1	DAY	10	4	14
2	WEEK	23	37	60
3	MONTH	60	93	153
4	YEAR	27	38	65

su016re: If you have had more than one period of depression, what is the average length of periods when you felt sad, blue, or depressed?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 873b, RU016RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, SU013RE < 2 or SU013RE > 996	2218	2302	4520
-1	DON'T KNOW	10	31	41
1		27	34	61
2		41	55	96
3		17	22	39
4		6	11	17
6		3	16	19
7		1	2	3
9		0	5	5
10		0	2	2
14		1	0	1

su017re: What is the unit for length of period when you felt sad, blue, or depressed?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 873c, RU017RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU016RE > 996	2228	2333	4561
-1	DON'T KNOW	2	0	2
2	WEEK	54	65	119
3	MONTH	37	64	101
4	YEAR	3	17	20

su018re: What is the usual length of time between the end of one period of depression to the beginning of the next?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 873d, RU018RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, SU013RE < 2 or SU013RE > 996	2218	2302	4520
-1	DON'T KNOW	35	63	98
1		13	13	26
2		8	21	29
3		13	8	21
4		3	3	6
5		9	15	24
6		8	8	16
7		1	1	2
8		1	2	3
9		0	4	4
10		9	21	30
12		0	1	1
14		0	1	1
15		1	6	7
16		0	1	1
18		1	2	3
20		2	6	8
29		0	1	1
30		1	1	2
38		1	0	1

su019re: What is the unit for usual length of time between the end of one period of depression to the beginning of the next?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 873e, RU019RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, SU018RE > 996	2253	2365	4618
-1	DON'T KNOW	1	0	1
1	DAY	0	1	1
2	WEEK	5	1	6
3	MONTH	13	27	40
4	YEAR	52	86	138

su020re: What age were you the first time the you had a period of two weeks or more when you felt sad, blue or depressed?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 871m, 871p, 868, RU020RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, SU013RE = 0 or SU013RE > 996	2094	2124	4218
-1	DON'T KNOW	4	4	8
7 - 25		44	72	116
26 - 35		48	89	137
36 - 42		44	72	116
43 - 49		58	62	120
50 - 75		32	57	89

Note: If respondent only had one episode (SU013RE=1), then the age in SU020RE is copied from SU004RE.

su021re: What age were you the last time you had a period of two weeks or more when you felt sad, blue or depressed?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 871t, RU021RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, SU013RE = 0 or SU013RE > 996	2094	2124	4218
-1	DON'T KNOW	4	2	6
16 - 36		45	78	123
37 - 43		51	78	129
44 - 48		62	78	140
49 - 55		51	73	124
56 - 75		17	47	64

Note: If respondent only had one episode (SU013RE=1), then age is copied from SU020RE.

su022re: Between any periods of two weeks or more of feeling sad, blue or depressed, were you feeling O. K. at least for some months?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 872f, RU022RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU013RE < 2 or SU013RE > 996	2218	2302	4520
-1	DON'T KNOW	0	2	2
1	YES	105	171	276
2	NO	1	4	5

su023re: Between any periods of two weeks or more of feeling sad, blue or depressed were you fully able to work and enjoy being with other people?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 872g, RU023RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	0	1	1
-2	Inappropriate INAPPROPRIATE, SU013RE < 2 or SU013RE > 996	2218	2302	4520
-1	DON'T KNOW	1	3	4
1	YES	101	171	272
2	NO	4	3	7

su024rec: Number of depression symptoms.

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
 Source variables: 870a, 870b, 870c, 870d, 870e, 870f, 870g, RU024REC
 Revisions: Updated Jan 2008

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	Refused, Not Ascertained	56	44	100
-2	Inappropriate Inappropriate, not in sample, su001re=0; or no periods of depression, su002re=2; or depression always caused by alcohol, drugs, medications, or physical illness, su003re=1.	571	683	1254
0		1448	1351	2799
1		10	16	26
2		26	28	54
3		38	47	85
4		44	76	120
5		53	95	148
6		57	97	154
7		21	43	64

Note: If a valid yes or no response is given for fewer than 4 of the 7 symptoms in su006re, su007re, su008re, su009re, su010re, su011re, su012re then su024rec is coded -3. Sua24re indicates the number of valid responses.

sua24re: Number of valid responses for su024rec.

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
 Source variables: 870a, 870b, 870c, 870d, 870e, 870f, 870g
 Revisions: Added Jan 2008

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate Inappropriate, not in sample, su001re=0; or no periods of depression, su002re=2; or depression always caused by alcohol, drugs, medications, or physical illness, su003re=1.	2004	2026	4030
0		56	43	99
3		0	1	1
4		0	1	1
5		3	10	13
6		21	34	55
7		240	365	605

su025re: Have you ever drunk alcoholic beverages such as beer, wine, liquor, or mixed alcoholic drinks?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 874, RU025RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	48	36	84
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE = 0	452	514	966
1	YES	1765	1794	3559
2	NO	59	136	195

su026re: During the last month on how many days did you drink any alcoholic beverages such as beer, wine, liquor, or mixed alcoholic drinks?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 874f, RU026RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	51	36	87
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE=0 OR SU025RE=2	511	650	1161
-1	DON'T KNOW	15	9	24
0	NEVER/NONE	398	557	955
1 - 2		286	443	729
3 - 4		245	287	532
5 - 10		355	268	623
12 - 30		364	177	541
31		99	53	152

su027re: What is the average number of drinks you had on the days you consumed any alcoholic beverages such as beer, wine, liquor, or mixed alcoholic drinks in the past month?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 874m, RU027RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	2	3	5
-2	Inappropriate INAPPROPRIATE, SU026RE = 0 OR SU026RE > 96	975	1252	2227
-1	DON'T KNOW	6	5	11
1		394	635	1029
2		516	418	934
3		212	100	312
4		104	27	131
5		52	20	72
6		33	12	45
7		2	2	4
8		12	2	14
9		3	0	3
10		9	3	12
12		2	0	2
15		1	0	1
20		1	0	1
23		0	1	1

su028re: Number of alcoholic drinks respondent had in the last month.

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
 Source variables: 874f, 874m, RU028RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	2	3	5
-2	Inappropriate INAPPROPRIATE, SU026RE EQ 0 or SU026RE > 96	975	1252	2227
-1	DON'T KNOW	6	5	11
1 - 3		204	397	601
4 - 8		280	365	645
9 - 20		355	274	629
21 - 60		367	149	516
62 - 620		135	35	170

su029re: Number of times you had five or more drinks on the same occasion during the last month.

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 874s, RU029RE

Wisconsin Longitudinal Study Codebook

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED, NOT ASCERTAINED	52	36	88
-2	Inappropriate INAPPROPRIATE, SU001RE=0 OR SU025RE=2 OR SU026RE < 2	1053	1453	2506
-1	DON'T KNOW	13	6	19
0	NEVER/NONE	767	837	1604
1		139	59	198
2		99	39	138
3		41	11	52
4		54	15	69
5		35	4	39
6		13	5	18
7		4	1	5
8		12	2	14
9		1	0	1
10		12	7	19
11		0	1	1
12		3	1	4
14		2	1	3
15		5	0	5
20		3	1	4
25		4	0	4
30		7	0	7
31		5	1	6

su030re: Have you ever felt bad or guilty about drinking?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 876, RU030RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	49	35	84
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE=0 OR SU025RE=2	511	650	1161
-1	DON'T KNOW	2	1	3
1	YES	469	325	794
2	NO	1293	1469	2762

su031re: Have people ever annoyed you by criticizing your drinking?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 876f, RU031RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	49	35	84
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE=0 OR SU025RE=2	511	650	1161
-1	DON'T KNOW	2	0	2
1	YES	287	86	373
2	NO	1475	1709	3184

su032re: Has your drinking ever caused a problem at work?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 876m, RU032RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	49	35	84
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE=0 OR SU025RE=2	511	650	1161
-1	DON'T KNOW	1	0	1
1	YES	76	10	86
2	NO	1687	1785	3472

su033re: Has your drinking ever created problems between yourself and spouse, children, parents, or other near relatives?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 876s, RU033RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	50	35	85
-2	INAPPROPRIATE INAPPROPRIATE (SU001RE=0 OR SU025RE=2)	511	650	1161
1	YES	261	74	335
2	NO	1502	1721	3223

su034rec: Number of alcohol symptoms.

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 876, 876f, 876m, 876s, 878, 878a, RU034REC
Revisions: Updated Jan 2008

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	refused, not ascertained	49	35	84
-2	Inappropriate INAPPROPRIATE, SU001RE=0 OR SU025RE=2 (not in sample or never drank alcohol)	452	514	966
0		1234	1557	2791
1		282	284	566
2		127	55	182
3		96	22	118
4		47	8	55
5		37	5	42

Note: If a valid yes or no response is given for fewer than 3 of the 5 symptoms in su030re, su031re, su032re, su033re, su035re, su036re, then su034rec is coded -3. Sua34re indicates the number of valid responses.

sua34re: Number of valid responses for su034rec.

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 876, 876f, 876m, 876s, 878, 878a
Revisions: Added Jan 2008

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	Inappropriate INAPPROPRIATE, SU001RE=0 OR SU025RE=2 (not in sample or never drank alcohol)	511	650	1161
0		49	35	84
4		6	2	8
5		1758	1793	3551

su035re: Have you ever gone to anyone for help about drinking?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone

Source variables: 878, RU035RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	49	36	85
-2	Inappropriate INAPPROPRIATE (SU001RE=0 or SU025RE=2)	511	650	1161
1	YES	166	189	355
2	NO	1598	1605	3203

su036re: If you have ever gone to anyone for help about drinking, was that about your drinking or someone else's drinking?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone

Source variables: 878a, RU036RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-2	INAPPROPRIATE INAPPROPRIATE (SU035RE ^= 1)	2158	2291	4449
1	RESPONDENT	97	16	113
2	SOMEONE ELSE	62	167	229
3	RESPONDENT AND SOMEONE ELSE	7	6	13

su037re: When you were growing up, did you ever live with anyone who was a problem drinker or alcoholic?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone

Source variables: 878f, RU037RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	49	37	86
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE = 0	452	514	966
-1	DON'T KNOW	12	5	17
1	YES	339	402	741
2	NO	1472	1522	2994

su038re: Did you ever live with anyone who was a problem drinker or alcoholic, other than when you were growing up?

Data source: Sibling Respondent Collected in: 1993-94 Mode: phone
Source variables: 878s, RU038RE

Value	Label	Frequencies		
		Male	Female	Total
.	System missing - NR	2113	1861	3974
-3	REFUSED/NOT ASCERTAINED	49	36	85
-2	INAPPROPRIATE INAPPROPRIATE, SU001RE = 0	452	514	966
-1	DON'T KNOW	3	4	7
1	YES	124	382	506
2	NO	1696	1544	3240

Table of Contents

Phone: Depression and Alcohol Summary	1
su001re: Respondent is in 80% random sample for Depression and Alcohol sections.	1
su002re: Have you ever had a time in life lasting two weeks or more when nearly every day you felt sad, blue, depressed, or when you lost interest in most things like work, hobbies, or things you usually liked to do for fun?	2
su003re: Were your experience with depression always caused by alcohol, drugs, medications, or physical illness?	2
su004re: What age were you when you experienced the worst, particularly bad, or the most recent period of depression?	3
su005re: Was this depression the worst, particularly bad, or the most recent episode?	4
su006re: During this episode of depression, did the you lose weight without trying to, as much as 2 pounds a week for several weeks or as much as 10 pounds altogether?	4
su007re: Did you have two weeks or more when nearly every night you had trouble falling asleep?	5
su008re: Did you have two weeks or more when you lacked energy or felt tired all the time, even when you had not been working very hard?	5
su009re: Did you have two weeks or more when you felt very bad when waking up, but felt better later in the day?	6
su010re: Did you have two weeks or more when you lost interest in most things like work, hobbies, or things you usually liked to do for fun?	6
su011re: Did you have two weeks or more when nearly every day you had a lot more trouble concentrating than is normal?	7
su012re: Did you have two weeks or more when you thought a lot about death, either your own, someone else's, or death in general?	7
su013re: How many periods have you had in your lifetime that lasted two weeks or more when you felt sad, blue or depressed?	8
su014re: If you have had only one period of depression, how long did you feel sad, blue, or depressed?	10
su015re: If you have had only one period of depression, what is the unit for length of period when you felt sad, blue, or depressed?	10
su016re: If you have had more than one period of depression, what is the average length of periods when you felt sad, blue, or depressed?	11
su017re: What is the unit for length of period when you felt sad, blue, or depressed?	12
su018re: What is the usual length of time between the end of one period of depression to the beginning of the next?	12
su019re: What is the unit for usual length of time between the end of one period of depression to the beginning of the next?	14
su020re: What age were you the first time the you had a period of two weeks or more when you felt sad, blue or depressed?	14
su021re: What age were you the last time you had a period of two weeks or more when you felt sad, blue or depressed?	15
su022re: Between any periods of two weeks or more of feeling sad, blue or depressed, were you feeling O. K. at least for some months?	16
su023re: Between any periods of two weeks or more of feeling sad, blue or depressed were you	

Wisconsin Longitudinal Study Codebook

fully able to work and enjoy being with other people?	16
su024rec: Number of depression symptoms.	17
sua24re: Number of valid responses for su024rec.	17
su025re: Have you ever drunk alcoholic beverages such as beer, wine, liquor, or mixed alcoholic drinks?	18
su026re: During the last month on how many days did you drink any alcoholic beverages such as beer, wine, liquor, or mixed alcoholic drinks?	18
su027re: What is the average number of drinks you had on the days you consumed any alcoholic beverages such as beer, wine, liquor, or mixed alcoholic drinks in the past month?	19
su028re: Number of alcoholic drinks respondent had in the last month.	20
su029re: Number of times you had five or more drinks on the same occasion during the last month.	21
su030re: Have you ever felt bad or guilty about drinking?	23
su031re: Have people ever annoyed you by criticizing your drinking?	23
su032re: Has your drinking ever caused a problem at work?	23
su033re: Has your drinking ever created problems between yourself and spouse, children, parents, or other near relatives?	24
su034rec: Number of alcohol symptoms.	24
sua34re: Number of valid responses for su034rec.	25
su035re: Have you ever gone to anyone for help about drinking?	26
su036re: If you have ever gone to anyone for help about drinking, was that about your drinking or someone else's drinking?	26
su037re: When you were growing up, did you ever live with anyone who was a problem drinker or alcoholic?	26
su038re: Did you ever live with anyone who was a problem drinker or alcoholic, other than when you were growing up?	27