In Person: Anesthesia History

KANESTH Anesthesia History Module

OVERVIEW

The Anesthesia History Module is new to the 2011 collection wave and addresses surgeries or medical procedures the participant has received that required anesthesia. Information was collected from selected participants as follows:

> All participants who - in the Health Module - reported ever undergoing heart surgery were asked to specify the timing and type of their most recent procedure; then, they were asked about their interest in being contacted for future study of how procedures involving anesthesia may affect later health. If the participant did not report having ever received heart surgery but belonged to a randomly selected 25% sub-sample, they were asked about the timing and type of their three most recent medical procedures that required anesthesia, as applicable. Like peers who reported undergoing heart surgery, participants who reported having other surgeries that required anesthesia were also asked about their interest in being contacted for future study.

Users should note that no attempt was made to code participants' responses to questions about medical procedure type; we will, however, make their answers available upon request.

BRIEF VARIABLE DESCRIPTIONS

Variable ranges reference dataset/codebook order and are not necessarily alphabetical.

KANESTAT-KANEREL:	Module-Level Status Variables
KX585REA-KX586RE:	Timing and Type of Heart Surgery Most Recently Undergone by Participant
KX584RE:	Summary of Whether Participant was Eligible to be Asked About Undergoing Medical Procedures that Required Anesthesia
KX587RE-KX595RE:	Timing and Type of Participant's Three Most Recent Surgeries that Required Anesthesia
KX596RE:	Participant's Willingness to be Contacted in the Future for Parts of the Study Examining How Procedures Involving Anesthesia May Affect Later Health

kanestat: Was the Anesthesia History Module completed by Participant alone, with help, or by proxy?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_x1a5g, y_fluflag, y_r131, y_aneproxy1, y_anehelp0, capiproxy, y_proxy, y_ivwloc

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	4	4	8
-2	Inappropriate Inap, not in sample (y_x1a5g != 1 and (y_fluflag != 1 or (y_fluflag = 1 and y_r131 != 9999 and y_r131 >= 5049)))	1053	1248	2301
1	R COMPLETED ALONE	474	489	963
2	R COMPLETED ALONE WITH SOMEONE ELSE IN THE ROOM	61	19	80
3	R RECEIVED A LITTLE HELP	30	6	36
4	R RECEIVED A LOT OF HELP	7	2	9

Note: For many cases a participant's spouse or other family member was present during the interview. This sometimes resulted in the participant relying on the other person for help in answering some or many of the questions. At the end of each module the interviewer indicated the amount of help the participant received and who provided that help. That assessment is covered by codes 1 through 5. Additionally, a code of 7 indicates that the entire interview was administered to a proxy while a code of 6 indicates that this particular module was answered by a proxy but other modules were answered by the participant.

kanerel: Relationship of Anesthesia History Module helper or proxy to Participant.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kanestat, y_aneproxy1, y_anehelp0, y_anehelp1, y_anehelp2_hfn, y_anehelp3, y_h1fn-y_h4fn, y_pfn, prxyfnam, y_p1fn-y_p5fn, y_prel, prxyrel, y_p1rel-y_p5rel

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	4	4	8
-2	Inappropriate Inap, not in sample (y_x1a5g != 1 and (y_fluflag != 1 or (y_fluflag = 1 and y_r131 != 9999 and y_r131 >= 5049))) or kanestat=1,2,-3	1588	1756	3344
0	SPOUSE	35	6	41
25	FRIEND	1	0	1
41	ROMANTIC PARTNER	0	1	1
45	SISTER-IN-LAW	0	1	1
48	SON	1	0	1

Note: If this module was administered via proxy or if the participant received help answering the questions in this module then we record the relationship of the proxy/helper to the participant. Although most participants relied on only one helper or proxy for the interview, some had more than one. Thus the value of the relationship code may vary across the modules.

kx585rea: Month in which Participant underwent their most recent heart surgery.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx355re, kx394re, y_anhrt_m_a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	3	0	3
-4	NOT ASCERTAINED	182	63	245
-2	INAPPROPRIATE INAPPROPRIATE (KX355RE != 1)	1393	1689	3082
-1	DON’T KNOW	4	4	8
1	January	2	0	2
2	February	2	3	5
3	March	6	1	7
4	April	4	0	4
5	May	4	1	5
6	June	5	2	7
7	July	3	1	4
8	August	3	0	3
9	September	3	1	4
10	October	7	2	9
11	November	5	0	5
12	December	3	1	4

Note: Participants were only asked to provide the month or season in which their most recent heart surgery occurred if they reported multiple heart surgeries in the Health Module (see KX394RE); for participants who have only had one heart surgery, the month or season in which the surgery occurred was never collected and this variable has been assigned a value of "-4."

kx585reb: Year in which Participant underwent their most recent heart surgery.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx355re, kx394re, kx393re, y_anhrt_m_b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	3	0	3
-4	NOT ASCERTAINED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX355RE != 1)	1393	1689	3082
-1	DON’T KNOW	1	1	2
1965 - 1997		44	17	61
1998 - 2002		51	11	62
2003 - 2006		49	22	71
2007 - 2009		60	17	77
2010 - 2012		27	11	38

kx585rec: Season in which Participant underwent their most recent heart surgery.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx355re, kx394re, kx585rea, y_anhrt_m_c

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	3	0	3
-4	NOT ASCERTAINED	182	63	245
-2	Inappropriate INAPPROPRIATE (KX355RE != 1 | 0 < KX585REA)	1440	1701	3141
-1	DON’T KNOW	0	1	1
1	Winter	2	0	2
3	Summer	2	1	3
4	Fall	0	2	2

Note: Participants were only asked to provide the month or season in which their most recent heart surgery occurred if they reported multiple heart surgeries in the Health Module (see KX394RE); for participants who have only had one heart surgery, the month or season in which the surgery occurred was never collected and this variable has been assigned a value of "-4."

kx585red: Participant’s age at the time of their most recent heart surgery.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx355re, kx394re, kx585reb, y_BRTHYR, y_anhrt_m_d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	3	0	3
-4	NOT ASCERTAINED	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KX355RE != 1)	1393	1689	3082
24 - 57		50	20	70
58 - 63		51	13	64
64 - 68		56	15	71
69 - 74		49	15	64
75 - 84		25	15	40

Note: Participants were only explicitly asked to provide their age at the time of surgery if they did not know or refused to supply the year in which the surgery occurred (see KX585REB); for participants who provided a valid year, age at the time of surgery was estimated by subtracting their birth year from it.

kx586re: Summary of how Participant responded when asked to specify the kind of heart procedure they most recently underwent.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx355re, y_anheart2

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	3	0	3
-2	INAPPROPRIATE INAPPROPRIATE (KX355RE != 1)	1393	1689	3082
1	DESCRIBED OR NAMED MEDICAL PROCEDURE	233	79	312

Note: No attempt was made to code participants' responses to questions about medical procedure type. We will make the descriptions referenced by this variable (code "1") available to interested users upon request.

kx584re: Summary of whether Participant was eligible to be asked about undergoing medical procedures that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx355re, y_fluflag, y_r131

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
1	ELIGIBLE, IN 25% SUB-SAMPLE AND DID NOT REPORT HAVING HEART SURGERY	340	441	781
2	NOT ELIGIBLE, IN 25% SUB-SAMPLE BUT REPORTED HAVING HEART SURGERY	62	15	77
3	NOT ELIGIBLE, NOT IN 25% SUB-SAMPLE	1227	1312	2539

Note: Participants were eligible to be asked about undergoing medical procedures that required anesthesia if they belonged to a randomly selected 25% sub-sample and did not report ever having heart surgery when asked in the Health Module (see KX355RE). It was our intention to administer the anesthesia history questions to all eligible participants.

kx587re: Has Participant ever had any procedure or surgery that required anesthesia?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx584re, y_an1b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-3	REFUSED	3	0	3
-2	INAPPROPRIATE INAPPROPRIATE (KX584RE != 1)	1289	1327	2616
-1	DON’T KNOW	1	0	1
1	YES	291	397	688
2	NO	44	40	84

Note: Participants were informed that relevant procedures would entail "care given by an anesthesiologist in addition to the surgeon."

kx588rea: Month in which Participant underwent their most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2a_a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1)	1337	1367	2704
-1	DON'T KNOW	69	95	164
1	January	19	35	54
2	February	24	22	46
3	March	19	29	48
4	April	20	34	54
5	May	26	24	50
6	June	24	23	47
7	July	16	28	44
8	August	21	18	39
9	September	16	26	42
10	October	13	23	36
11	November	12	21	33
12	December	12	19	31

kx588reb: Year in which Participant underwent their most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2a_b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1)	1337	1367	2704
-1	DON’T KNOW	3	25	28
1940 - 1990		50	83	133
1991 - 2003		53	81	134
2004 - 2007		61	71	132
2008 - 2010		94	107	201
2011 - 2012		30	30	60

kx588rec: Season in which Participant underwent their most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, kx588rea, y_an2a_c

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	Inappropriate INAPPROPRIATE (KX587RE != 1 | 0 < KX588REA)	1559	1669	3228
-1	DON'T KNOW	22	36	58
1	Winter	6	7	13
2	Spring	15	23	38
3	Summer	16	18	34
4	Fall	10	11	21

Note: Participants were only asked to provide the season in which they most recently underwent a surgery that required anesthesia if they did not know or refused to supply the month in which it occurred (see KX588REA).

kx588red: Participant's age at the time of their most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, kx588reb, y_BRTHYR, y_an2a_d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-4	NOT ASCERTAINED	0	1	1
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1)	1337	1367	2704
-1	DON’T KNOW	2	8	10
5 - 47		56	81	137
48 - 59		53	92	145
60 - 65		75	69	144
66 - 71		65	78	143
72 - 87		40	68	108

Note: Participants were only explicitly asked to provide their age at the time of surgery if they did not know or refused to supply the year in which the surgery occurred (see KX588REB); for participants who provided a valid year, age at the time of surgery was estimated by subtracting their birth year from it.

kx589re: Summary of how Participant responded when asked to specify the kind of anesthesia-requiring procedure they most recently underwent.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-3	REFUSED	0	1	1
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1)	1337	1367	2704
-1	DON’T KNOW	0	1	1
1	DESCRIBED OR NAMED MEDICAL PROCEDURE	291	395	686

Note: No attempt was made to code participants’ responses to questions about medical procedure type. We will make the descriptions referenced by this variable (code "1") available to interested users upon request.

kx591rea: Month in which Participant underwent their second most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e, y_an2a_2_a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 2ND SURGERY REPORTED)	1443	1462	2905
-1	DON'T KNOW	69	112	181
1	January	14	16	30
2	February	11	16	27
3	March	7	19	26
4	April	10	21	31
5	May	9	15	24
6	June	19	17	36
7	July	7	13	20
8	August	6	16	22
9	September	8	12	20
10	October	8	15	23
11	November	10	20	30
12	December	7	10	17

kx591reb: Year in which Participant underwent their second most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e, y_an2a_2_b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 2ND SURGERY REPORTED)	1443	1462	2905
-1	DON'T KNOW	8	28	36
1939 - 1975		38	52	90
1976 - 1992		21	70	91
1993 - 2001		35	57	92
2002 - 2006		42	55	97
2007 - 2012		41	40	81

kx591rec: Season in which Participant underwent their second most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e, kx591rea, y_an2a_2_c

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	Inappropriate INAPPROPRIATE (KX587RE != 1 | 0 < KX591REA | NO 2ND SURGERY REPORTED)	1559	1652	3211
-1	DON'T KNOW	29	54	83
1	Winter	6	7	13
2	Spring	13	19	32
3	Summer	14	18	32
4	Fall	7	14	21

Note: Participants were only asked to provide the season in which they second most recently underwent a surgery that required anesthesia if they did not know or refused to supply the month in which it occurred (see KX591REA).

kx591red: Participant's age at the time of their second most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e, kx591reb, y_BRTHYR, y_an2a_2_d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 2ND SURGERY REPORTED)	1443	1462	2905
-1	DON’T KNOW	1	9	10
1 - 31		40	59	99
32 - 48		20	80	100
49 - 59		46	54	100
60 - 67		50	51	101
68 - 79		28	49	77

Note: Participants were only explicitly asked to provide their age at the time of surgery if they did not know or refused to supply the year in which the surgery occurred (see KX591REB); for participants who provided a valid year, age at the time of surgery was estimated by subtracting their birth year from it.

kx592re: Summary of how Participant responded when asked to specify the kind of anesthesia-requiring procedure they second most recently underwent.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e, y_an2b_2

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 2ND PROCEDURE REPORTED)	1443	1462	2905
-1	DON’T KNOW	0	1	1
1	DESCRIBED OR NAMED MEDICAL PROCEDURE	185	301	486

Note: No attempt was made to code participants’ responses to questions about medical procedure type. We will make the descriptions referenced by this variable (code "1") available to interested users upon request.

kx594rea: Month in which Participant underwent their third most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e_2, y_an2a_3_a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-3	REFUSED	0	1	1
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 3RD SURGERY REPORTED)	1511	1558	3069
-1	DON'T KNOW	50	84	134
1	January	7	8	15
2	February	3	5	8
3	March	2	13	15
4	April	2	10	12
5	May	11	9	20
6	June	6	12	18
7	July	5	11	16
8	August	5	15	20
9	September	10	6	16
10	October	7	11	18
11	November	4	14	18
12	December	5	7	12

kx594reb: Year in which Participant underwent their third most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e_2, y_an2a_3_b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 3RD SURGERY REPORTED)	1511	1558	3069
-1	DON'T KNOW	12	17	29
1936 - 1966		24	34	58
1967 - 1983		12	49	61
1984 - 1995		19	43	62
1996 - 2004		29	37	66
2005 - 2011		21	26	47

kx594rec: Season in which Participant underwent their third most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e_2, kx594rea, y_an2a_3_c

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-3	REFUSED	0	1	1
-2	Inappropriate INAPPROPRIATE (KX587RE != 1 | 0 < KX594REA | NO 3RD SURGERY REPORTED)	1578	1679	3257
-1	DON’T KNOW	27	40	67
1	Winter	5	6	11
2	Spring	4	12	16
3	Summer	10	21	31
4	Fall	4	5	9

Note: Participants were only asked to provide the season in which they third most recently underwent a surgery that required anesthesia if they did not know or refused to supply the month in which it occurred (see KX594REA).

kx594red: Participant’s age at the time of their third most recent surgery that required anesthesia.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e_2, kx594reb, y_BRTHYR, y_an2a_3_d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 3RD SURGERY REPORTED)	1511	1558	3069
-1	DON’T KNOW	3	5	8
2 - 23		28	42	70
24 - 40		14	51	65
41 - 54		30	45	75
55 - 66		28	35	63
67 - 79		14	28	42

Note: Participants were only explicitly asked to provide their age at the time of surgery if they did not know or refused to supply the year in which the surgery occurred (see KX594REB); for participants who provided a valid year, age at the time of surgery was estimated by subtracting their birth year from it.

kx595re: Summary of how Participant responded when asked to specify the kind of anesthesia-requiring procedure they third most recently underwent.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx587re, y_an2e_2, y_an2b_3

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	4	5
-2	INAPPROPRIATE INAPPROPRIATE (KX587RE != 1 | NO 3RD PROCEDURE REPORTED)	1511	1558	3069
-1	DON’T KNOW	0	1	1
1	DESCRIBED OR NAMED MEDICAL PROCEDURE	117	205	322

Note: No attempt was made to code participants’ responses to questions about medical procedure type. We will make the descriptions referenced by this variable (code "1") available to interested users upon request.

kx596re: Is Participant willing to be contacted in the future about participating in a part of the study examining how surgical procedures involving anesthesia may affect later health?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx355re, kx587re, y_an5

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	4	4	8
-2	INAPPROPRIATE INAPPROPRIATE (KX355RE != 1 & KX587RE != 1)	1101	1288	2389
-1	DON’T KNOW	3	8	11
1	YES	379	336	715
2	NO	142	132	274

Note: Participants were asked about their willingness to be contacted for future study if they reported having undergone heart surgery when asked in the Health Module (see KX355RE) or reported having undergone some other medical procedure that required anesthesia in the Anesthesia History Module (see

KX587RE). When being asked about their willingness to be contacted, participants were informed that not all people who say "yes" would be contacted to participate and that it would most likely be a few years before any contact was made; they were also told that those who are contacted would be formally invited to participate and still have the right to refuse at that time

Table of Contents

In Person: Anesthesia History 1
kanestat: Was the Anesthesia History Module completed by Participant alone, with help, or by proxy? 2
kanerel: Relationship of Anesthesia History Module helper or proxy to Participant. 2
kx585rea: Month in which Participant underwent their most recent heart surgery. 3
kx585reb: Year in which Participant underwent their most recent heart surgery. 4
kx585rec: Season in which Participant underwent their most recent heart surgery. 5
kx585red: Participant's age at the time of their most recent heart surgery. 6
kx586re: Summary of how Participant responded when asked to specify the kind of heart procedure they most recently underwent. 7
kx584re: Summary of whether Participant was eligible to be asked about undergoing medical procedures that required anesthesia. 8
kx587re: Has Participant ever had any procedure or surgery that required anesthesia? 8
kx588rea: Month in which Participant underwent their most recent surgery that required anesthesia. 9
kx588reb: Year in which Participant underwent their most recent surgery that required anesthesia. 10
kx588rec: Season in which Participant underwent their most recent surgery that required anesthesia. 11
kx588red: Participant's age at the time of their most recent surgery that required anesthesia. . 12
kx589re: Summary of how Participant responded when asked to specify the kind of anesthesia-requiring procedure they most recently underwent. 13
kx591rea: Month in which Participant underwent their second most recent surgery that required anesthesia. 14
kx591reb: Year in which Participant underwent their second most recent surgery that required anesthesia. 15
kx591rec: Season in which Participant underwent their second most recent surgery that required anesthesia. 16
kx591red: Participant's age at the time of their second most recent surgery that required anesthesia. 17
kx592re: Summary of how Participant responded when asked to specify the kind of anesthesia-requiring procedure they second most recently underwent. 18
kx594rea: Month in which Participant underwent their third most recent surgery that required anesthesia. 19
kx594reb: Year in which Participant underwent their third most recent surgery that required anesthesia. 20
kx594rec: Season in which Participant underwent their third most recent surgery that required anesthesia. 21
kx594red: Participant's age at the time of their third most recent surgery that required anesthesia. 22
kx595re: Summary of how Participant responded when asked to specify the kind of anesthesia-requiring procedure they third most recently underwent. 23
kx596re: Is Participant willing to be contacted in the future about participating in a part of the study examining how surgical procedures involving anesthesia may affect later health? . . 24