In Person: Caregiving

KCARE Caregiving Module

OVERVIEW

The Caregiving Module was first introduced during the 1994 collection wave, when participants were asked to report on household members' long-term health conditions, their most involved experiences as providers and/or recipients of personal care in the past twelve months, and any analogous spousal caregiving or receiving experiences. The following details about episodes of caregiving and receiving were collected from 1994 participants: their relationship to the care recipient or provider; the health condition that necessitated care; the month and year in which the arrangement began; what type of care was given or received; the amount of time committed to care provision; and why the episode ended. In 2005, questions about caregiving were moved to the Volunteering Module and limited to addressing participant experiences as providers of care in the past twelve months; caregiving details were also narrowed down to include only a primary recipient's relationship to the participant, underlying health conditions, the month and year caregiving began, and why it ended. In 2011, although questions about caregiving returned to the 1994 convention of occupying a distinct survey module, the 2005 wave's singular emphasis on participant experiences as providers of care was replicated. In a departure from previous waves, caregiving was more precisely construed as personally caring for a family member or friend on an unpaid basis, with information collected from participants as follows:

> Participants who reported being current providers of unpaid personal care were asked how many people they were presently caring for and - if more than one - to focus on whomever they were giving the most care to. The following details were then collected about the participant's most extensive current episode of caregiving: the recipient's sex and relationship to them (including which child or sibling if applicable); the recipient's age; the health condition necessitating personal care; whether the participant or someone else provides most of the care; hours of care provided in an average week; how far away the participant lives from the recipient; desire for more caregiving help from family or friends; and when the caregiving episode began. If the participant reported having provided more unpaid personal care to someone else in the past - or if they were not currently serving as a caregiver - they were (also) asked about their most extensive completed episode of caregiving, with the same details collected as for a current episode. Participants reporting on completed caregiving episodes were additionally asked why the arrangement had ended.

While the 2011 Caregiving Module is somewhat similar to both its 1994 and 2005 predecessors (albeit in different ways), it was rarely possible to construct analysis variables consistent with those from past waves. As such, this module should be approached as a distinct entity by virtue of its dual emphasis on both current and completed caregiving episodes. For information about the nature of our caregiving data at prior collection waves, please see Appendix M, as well as CORs 841 and 953 in Appendix G. No new documentation about caregiving data was added to the appendix for the 2011 collection wave.

BRIEF VARIABLE DESCRIPTIONS

Variable ranges reference dataset/codebook order and are not necessarily alphabetical.

KCARSTAT-KCARREL:	Module-Level Status Variables
KV600RE:	Indicator for Whether Participant is Currently Providing Unpaid Personal Care to Any Family Member or Friends
KV001RE:	Indicator for Whether Participant Has Ever Provided Unpaid Personal Care for a Period of One Month or More
KV601RE:	Number of People for Whom Participant is Currently Providing Unpaid Care
KV602RE:	Average Weekly Hours Participant Currently Spends Providing Unpaid Care for Multiple Recipients
KV603RE-KV613RE:	Details About the Participant's Experience Helping the Person for Whom They Are Currently Providing the Most Care
KV614RE:	Indicator for Whether Person Whom Participant is Currently Providing the Most Care to is Also the Person They Have Provided the Most Care to Ever
KV620RE-KV630RE:	Details About the Participant's Experience Helping the Person for Whom They Provided the Most Care Ever
KV631RE:	Reason Participant is No Longer Helping Person for Whom They Provided the Most Care Ever

kcarstat: Was the Caregiving Module completed by Participant alone, with help, or by proxy?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_carproxy1, y_carhelp0, capiproxy, y_proxy, y_ivwloc

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
1	R COMPLETED ALONE	1412	1651	3063
2	R COMPLETED ALONE WITH SOMEONE ELSE IN THE ROOM	122	66	188
3	R RECEIVED A LITTLE HELP	68	29	97
4	R RECEIVED A LOT OF HELP	17	6	23
5	HELPER RESPONDED TO ALL ITEMS	1	1	2
6	MODULE PROXY	0	2	2
7	WHOLE INTERVIEW DONE BY PROXY	7	12	19

Note: For many cases a participant's spouse or other family member was present during the interview. This sometimes resulted in the participant relying on the other person for help in answering some or many of the questions. At the end of each module the interviewer indicated the amount of help the participant received and who provided that help. That assessment is covered by codes 1 through 5. Additionally, a code of 7 indicates that the entire interview was administered to a proxy while a code of 6 indicates that this particular module was answered by a proxy but other modules were answered by the participant.

kcarrel: Relationship of Caregiving Module helper or proxy to Participant.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kcarstat, y_carproxy1, y_carhelp0, y_carhelp1, y_carhelp2_hfn, y_carhelp3, y_h1fn-y_h4fn, y_pfn, prxyfnam, y_p1fn-y_p5fn, y_prel, prxyrel, y_p1rel-y_p5rel

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	1	3	4
-2	Inappropriate Inap, (Sampled skip or kcarstat=1,2,-3)	1534	1717	3251
0	SPOUSE	83	28	111
2	BROTHER	0	1	1
8	DAUGHTER	1	9	10
10	DAUGHTER-IN-LAW	0	1	1
25	FRIEND	1	0	1
26	GRANDDAUGHTER	0	1	1
41	ROMANTIC PARTNER	3	1	4
43	SISTER	0	2	2
45	SISTER-IN-LAW	0	1	1
48	SON	4	2	6
54	OTHER	0	1	1

Note: If this module was administered via proxy or if the participant received help answering the questions in this module then we record the relationship of the proxy/helper to the participant. Although most participants relied on only one helper or proxy for the interview, some had more than one. Thus the value of the relationship code may vary across the modules.

kv600re: Is Participant currently providing unpaid personal care to any family member or friends?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_z902

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	1	2
1	YES	420	532	952
2	NO	1199	1220	2419

Note: Participants were given the following information before answering this survey question: "Sometimes people provide regular unpaid care or assistance to a family member (including children) or a friend who has a long-term illness or a disability. Unpaid care may include help with health or personal needs or household chores. It might be taking care of finances, arranging for outside services, taking to medical appointments, or visiting regularly to see how they are doing. The relative or friend you are helping may be someone who lives with you or somewhere else including another city. This includes your husband/wife/partner."

kv001re: Has Participant ever given unpaid personal care for a period of one month or more to a family member or friend because of a long-term physical or mental condition, illness, or disability?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z902a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	3	1	4
-3	REFUSED	1	1	2
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE = 1)	420	532	952
-1	DON’T KNOW	0	1	1
1	YES	446	663	1109
2	NO	756	556	1312

Note: Although this variable generally replicates SV001RE from the 1994 collection wave, it is not comparable to CV001RES from the 2005 wave because the latter excludes spouses; this variable - like SV001RE - encompasses all family members and friends, including spouses and cohabiting partners. The variable is not a full replication of SV001RE because it was not asked of participants who were currently providing unpaid personal care to someone, regardless of when they began doing so (see KV600RE).

kv601re: Number of people for whom Participant is currently providing unpaid care.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z902b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON'T KNOW	0	1	1
1		292	374	666
2		78	106	184
3		28	29	57
4		7	6	13
5		9	8	17
6		4	3	7
7		0	1	1
8		0	1	1
9		0	1	1
10		2	1	3
20	TWENTY OR MORE PEOPLE	0	1	1

kv602re: Combined hours Participant currently spends providing care for multiple recipients in an average week.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv601re, y_z902d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	2	0	2
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | KV601RE = 1)	1492	1595	3087
-1	DON’T KNOW	0	5	5
0	NONE / CAREGIVING IS INFREQUENT	2	2	4
1 - 2		52	41	93
3 - 5		37	38	75
6 - 15		22	37	59
20 - 168		13	35	48

Note: Here, "recipient" means a family member or friend for whom the participant is currently providing unpaid personal care due to a long-term physical or mental condition, illness, or disability (see KV600RE).

kv603re: Participant’s relationship to person for whom they are currently providing the most care.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv601re, y_z902c, c_y_z902c, y_z902e, c_y_z902e

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	1	0	1

-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
1	HUSBAND	0	120	120
2	FORMER HUSBAND	0	4	4
3	MALE PARTNER/LOVER	0	3	3
4	SON	17	26	43
6	BROTHER	11	10	21
7	FATHER	4	5	9
9	(GREAT) GRANDSON	5	10	15
10	SON-IN-LAW	3	2	5
11	BROTHER-IN-LAW	3	4	7
13	FATHER-IN-LAW	12	7	19
15	STEP-SON	3	2	5
19	UNCLE	0	1	1
20	NEPHEW	2	0	2
21	MALE FRIEND	8	5	13
23	OTHER MALE RELATIVE	1	0	1
25	OTHER MALE NON-RELATIVE	1	1	2
31	WIFE	91	0	91
32	FORMER WIFE	1	0	1
33	FEMALE PARTNER/LOVER	2	0	2
34	DAUGHTER	19	33	52
36	SISTER	9	26	35
37	MOTHER	41	63	104
39	(GREAT) GRANDDAUGHTER	4	8	12
40	DAUGHTER-IN-LAW	0	1	1
41	SISTER-IN-LAW	7	7	14

43	MOTHER-IN-LAW	44	23	67
44	FORMER MOTHER-IN-LAW	0	1	1
45	STEP-DAUGHTER	2	0	2
47	STEP-MOTHER	1	1	2
49	AUNT	10	9	19
50	NIECE	1	1	2
51	FEMALE FRIEND	8	25	33
53	OTHER FEMALE RELATIVE	1	0	1
54	OTHER FEMALE FORMER RELATIVE	0	1	1
55	OTHER FEMALE NON-RELATIVE	1	6	7
61	BOTH PARENTS	0	1	1
73	PARTNER/LOVER, GENDER UNKNOWN	2	0	2
79	(GREAT) GRANDCHILD, GENDER UNKNOWN	0	3	3
90	SOMEONE’S FIRST NAME, RELATIONSHIP UNKNOWN	0	1	1
91	FRIEND, GENDER UNKNOWN	70	93	163
95	OTHER NON-RELATIVE, GENDER UNKNOWN	9	10	19
103	MULTIPLE (GREAT) GRANDCHILDREN	0	1	1
104	MULTIPLE RECIPIENTS	3	1	4
105	MEMBER OF RELIGIOUS COMMUNITY	3	4	7
107	MULTIPLE CAREGIVERS, FRIENDS	1	1	2
109	SPOUSE’S AUNT	5	2	7
110	SPOUSE’S UNCLE	2	2	4
111	ALL (GREAT) GRANDCHILDREN	1	0	1
114	COUSIN	8	4	12
115	SPOUSE’S COUSIN	0	1	1
143	MOTHER OF PARTNER/LOVER	2	1	3

Note: If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv604re: Roster identification number of child or sibling for whom Participant is currently providing the most care.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv603re, kv601re, y_z902c, y_z902e, y_z898na, y_z898nb

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV603RE != 4,6,34, OR 36)	1564	1658	3222
-1	DON’T KNOW	1	3	4
101		12	17	29
102		12	22	34
103		8	8	16
104		1	7	8
105		1	2	3
106		2	2	4
107		0	1	1
301		6	12	18
302		3	7	10
303		5	5	10
304		3	5	8
305		0	2	2
306		0	1	1
307		1	1	2
308		1	0	1

Note: This variable is only applicable to participants who reported a child or sibling as the person to whom they are currently providing the most unpaid personal care (see KV603RE). If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).
Note: 100s are Child Roster ID Numbers
300s are Sibling Roster ID Numbers

kv605re: Sex of person for whom Participant is currently providing the most care.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv603re, y_zgen

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-26	UNABLE TO CODE, MULTIPLE PEOPLE MENTIONED	5	4	9
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	1	0	1
-3	REFUSED	1	1	2
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON’T KNOW	2	0	2
1	MALE	129	231	360
2	FEMALE	282	296	578

Note: If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv606re: Age of person for whom Participant is currently providing the most care.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z898m

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-26	UNABLE TO CODE, MULTIPLE PEOPLE MENTIONED	5	4	9
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	36	53	89
-3	REFUSED	2	2	4
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON’T KNOW	3	2	5
1 - 55		72	98	170
56 - 69		96	83	179
70 - 78		73	104	177
79 - 88		65	105	170
89 - 105		68	81	149

Note: The high number of cases coded as "not ascertained" on this variable are due to a programmatic error in how the CAPI instrument calculated ages for family members. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv607rea: First condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z894s, c_y_z894s
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**

.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	5	4	9
-18	COULD NOT CODE	1	0	1
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	1	0	1
-3	REFUSED	3	2	5
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
13	Tuberculosis of meninges and central nervous system	0	1	1
42	Human Immunodeficiency Virus (HIV) disease	1	0	1
45	Acute poliomyelitis	1	1	2
64	Viral encephalitis transmitted by other and unspecified arthropods	1	0	1
88	Other arthropod-borne diseases	1	0	1
135	Sarcoidosis	0	1	1
136	Other and unspecified infectious and parasitic diseases	1	0	1
138	Late effects of acute poliomyelitis	0	1	1
153	Malignant neoplasm of colon	0	1	1
154	Malignant neoplasm of rectum, rectosigmoid junction, and anus	0	1	1
161	Malignant neoplasm of larynx	1	0	1
162	Malignant neoplasm of trachea, bronchus, and lung	1	2	3
171	Malignant neoplasm of connective and other soft tissue	0	1	1
174	Malignant neoplasm of female breast	4	5	9
183	Malignant neoplasm of ovary and other uterine adnexa	3	0	3
185	Malignant neoplasm of prostate	1	1	2
188	Malignant neoplasm of bladder	0	1	1

191	Malignant neoplasm of brain	0	4	4
194	Malignant neoplasm of other endocrine glands and related structures	0	1	1
199	Malignant neoplasm without specification of site	14	10	24
203	Multiple myeloma and immunoproliferative neoplasms	2	0	2
204	Lymphoid leukemia	0	1	1
208	Leukemia of unspecified cell type	2	1	3
237	Neoplasm of uncertain behavior of endocrine glands and nervous system	1	0	1
246	Other disorders of thyroid	0	1	1
250	Diabetes mellitus	12	17	29
256	Ovarian dysfunction	1	0	1
277	Other and unspecified disorders of metabolism	0	2	2
278	Obesity and other hyperalimentation	2	2	4
279	Disorders involving the immune mechanism	1	1	2
289	Other diseases of blood and blood-forming organs	1	0	1
290	Senile and presenile organic psychotic conditions	20	16	36
295	Schizophrenic disorders	2	4	6
296	Affective psychoses	1	3	4
299	Psychoses with orgin specific to childhood	4	5	9
300	Neurotic disorder	1	0	1
303	Alcohol dependence syndrome	2	2	4
304	Drug dependence	1	0	1
305	Nondependent abuse of drugs	1	0	1
306	Physiological malfunction arising from mental factors	0	2	2
307	Special symptoms or syndromes, not elsewhere classified	0	1	1
309	Adjustment reaction	0	1	1
311	Depressive disorder, not elsewhere classified	4	7	11
314	Hyperkinetic syndrome of childhood	1	1	2

315	Specific delays in development	0	2	2
319	Unspecified mental retardation	6	9	15
321	Meningitis due to other organisms	0	1	1
331	Other cerebral degenerations	10	21	31
332	Parkinson's disease	7	13	20
335	Anterior horn cell disease	0	2	2
337	Disorders of the autonomic nervous system	0	1	1
338		0	2	2
340	Multiple sclerosis	4	7	11
343	Infantile cerebral palsy	3	1	4
344	Other paralytic syndromes	1	1	2
346	Migraine	0	1	1
347	Cataplexy and narcolepsy	0	1	1
348	Other conditions of brain	2	1	3
349	Other and unspecified disorders of the nervous system	1	0	1
355	Mononeuritis of lower limb	0	1	1
356	Hereditary and idiopathic peripheral neuropathy	1	2	3
357	Inflammatory and toxic neuropathy	0	1	1
359	Muscular dystrophies and other myopathies	0	1	1
362	Other retinal disorders	3	8	11
369	Blindness and low vision	11	16	27
379	Other eye disorders	0	1	1
386	Vertiginous syndromes and other disorders of vestibular system	0	2	2
389	Hearing loss	1	1	2
401	Essential hypertension	1	1	2
410	Acute myocardial infarction	5	2	7
414	Other forms of chronic ischemic heart disease	0	1	1

427	Cardiac dysrhythmias	0	1	1
428	Heart failure	1	4	5
429	Ill-defined descriptions and complications of heart disease	15	19	34
430	Subarachnoid hemorrhage	2	0	2
433	Occlusion and stenosis of precerebral arteries	0	1	1
435	Transient cerebral ischemia	0	2	2
436	Acute, but ill-defined, cerebrovascular disease	23	31	54
442	Other aneurysm	0	1	1
443	Other peripheral vascular disease	1	0	1
444	Arterial embolism and thrombosis	0	1	1
457	Noninfectious disorders of lymphatic channels	1	0	1
459	Other disorders of circulatory system	0	1	1
486	Pneumonia, organism unspecified	1	1	2
492	Emphysema	1	3	4
496	Chronic airway obstruction, not elsewhere specified	3	8	11
518	Other diseases of lung	1	3	4
537	Other disorders of stomach and duodenum	1	0	1
555	Regional enteritis	1	1	2
569	Other disorders of intestine	0	1	1
586	Renal failure, unspecified	2	1	3
588	Disorders resulting from impaired renal function	2	0	2
593	Other disorders of kidney and ureter	0	3	3
682	Other cellulitis and abscess	0	1	1
710	Diffuse diseases of connective tissue	1	1	2
714	Rheumatoid arthritis and other inflammatory polyarthropathies	5	5	10
716	Other and unspecified arthropathies	6	8	14
719	Other and unspecified disorders of joint	3	1	4
722	Intervertebral disc disorder	0	3	3

724	Other and unspecified disorders of back	8	11	19
728	Disorders of muscle, ligament, and fiscia	1	1	2
729	Other disorders of soft tissues	6	1	7
733	Other disorders of bone and cartilage	3	0	3
737	Curvature of spine	0	2	2
756	Other congenital muscoskeletal anomalies	1	0	1
758	Chromosomal anomalies	2	5	7
780	General symptoms	6	9	15
782	Symptoms involving skin and other integumentary tissue	1	0	1
783	Symptoms concerning nutrition, metabolism, and development	1	0	1
784	Symptoms involving head and neck	0	1	1
786	Symptoms involving respiratory system and other chest symptoms	1	0	1
788	Symptoms involving urinary system	0	1	1
797	Senility without mention of psychosis	2	3	5
799	Other ill-defined and unknown cause of morbidity and mortality	74	69	143
807	Fracture of rib(s), sternum, larynx, and trachea	0	1	1
814	Fracture of carpal bone(s)	0	2	2
818	Ill-defined fractures of upper limb	0	3	3
820	Fracture of neck of femur	6	8	14
824	Fracture of ankle	3	0	3
826	Fracture of one or more phalanges of foot	0	1	1
827	Other, multiple, and ill-defined fractures of lower limb	1	1	2
843	Sprains and strains of hip and thigh	0	1	1
850	Concussion	1	0	1
854	Intracranial injury of other and unspecified nature	3	1	4
959	Injury, other and unspecified	2	0	2
994	Effects of other external causes	1	0	1

998	Other complications of procedures, not elsewhere classified	0	1	1
3177	Making decisions	0	1	1
3199	Learning and applying knowledge, unspecified	0	2	2
3299	General tasks and demands, unspecified	2	3	5
3330	Speaking	1	0	1
3450	Walking	6	8	14
3470	Using transportation	1	0	1
3475	Driving	8	11	19
3499	Mobility, unspecified	4	7	11
3599	Self-care, unspecified	1	0	1
3649	Household tasks, other specified and unspecified	0	2	2
3760	Family relationships	0	1	1
3798	Interpersonal interactions and relationships, other specified	0	1	1
3845	Acquiring, keeping and terminating a job	0	1	1
3879	Economic life, other specified and unspecified	3	3	6
5819	Motor vehicle traffic accident of unspecified nature	3	2	5
5878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication without mention of misadventure at the time of operation	2	1	3
5888	Other and unspecified fall	3	3	6
5947	Other And Unspecified Drugs And Medicinal Substances Causing Adverse Effects In Therapeutic Use	0	2	2
6040	Mental And Behavioral Problems	0	4	4
6046	Other Dependence On Machines	0	2	2
6049	Other Conditions Influencing Health Status	1	4	5
6052	Fitting And Adjustment Of Prosthetic Device and implant	0	1	1
6056	Encounter For Dialysis and Dialysis Catheter Care	1	1	2
6058	Encounter For Other And Unspecified Procedures And Aftercare	2	0	2
6060	Housing, Household, And Economic Circumstances	2	0	2

6061	Other Family Circumstances	6	8	14
6062	Other Psychosocial Circumstances	2	4	6
6069	Problems Related to Lifestyle	2	0	2
7000	Procedures and Interventions, NEC	3	5	8
7002	Other operations on skull, brain, and cerebral meninges	0	1	1
7004	Operations on cranial and peripheral nerves	0	1	1
7033	Other operations on lung and bronchus	0	1	1
7036	Operations on vessels of heart	2	1	3
7037	Other operations on heart and pericardium	0	6	6
7044	Other operations on stomach	1	0	1
7050	Operations on liver	0	1	1
7055	Operations on kidney	1	0	1
7081	Repair and plastic operations on joint structures	14	16	30
7083	Operations on muscle, tendon, fascia, and bursa except hand	2	0	2
7085	Operations on the breast	0	1	1

Note: This variable reflects the first condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV608REA. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv607reb: Second condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z894s, c2_y_z894s
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246

-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	0	1	1
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 2ND CONDITION MENTIONED)	1507	1584	3091
53	Herpes zoster	0	1	1
88	Other arthropod-borne diseases	0	1	1
162	Malignant neoplasm of trachea, bronchus, and lung	0	1	1
180	Malignant neoplasm of cervix uteri	0	1	1
191	Malignant neoplasm of brain	1	0	1
199	Malignant neoplasm without specification of site	3	5	8
213	Benign neoplasm of bone and articular cartilage	1	0	1
250	Diabetes mellitus	3	3	6
272	Disorders of lipoid metabolism	0	1	1
278	Obesity and other hyperalimentation	1	1	2
285	Other and unspecified anemias	0	1	1
289	Other diseases of blood and blood-forming organs	1	0	1
290	Senile and presenile organic psychotic conditions	6	7	13
296	Affective psychoses	0	2	2
300	Neurotic disorder	1	0	1
301	Personality disorder	1	0	1
309	Adjustment reaction	1	0	1
311	Depressive disorder, not elsewhere classified	0	3	3
314	Hyperkinetic syndrome of childhood	0	1	1
315	Specific delays in development	0	1	1
319	Unspecified mental retardation	1	0	1
331	Other cerebral degenerations	4	3	7

332	Parkinson's disease	1	4	5
340	Multiple sclerosis	1	1	2
343	Infantile cerebral palsy	0	3	3
346	Migraine	1	0	1
348	Other conditions of brain	2	0	2
356	Hereditary and idiopathic peripheral neuropathy	0	1	1
358	Myoneural disorders	0	1	1
362	Other retinal disorders	0	1	1
366	Cataract	1	0	1
369	Blindness and low vision	2	3	5
379	Other eye disorders	1	0	1
389	Hearing loss	2	2	4
401	Essential hypertension	0	1	1
410	Acute myocardial infarction	2	0	2
414	Other forms of chronic ischemic heart disease	1	0	1
415	Acute pulmonary heart disease	0	1	1
428	Heart failure	2	2	4
429	Ill-defined descriptions and complications of heart disease	6	8	14
436	Acute, but ill-defined, cerebrovascular disease	2	6	8
457	Noninfectious disorders of lymphatic channels	1	1	2
486	Pneumonia, organism unspecified	1	0	1
492	Emphysema	1	1	2
493	Asthma	0	2	2
496	Chronic airway obstruction, not elsewhere specified	0	3	3
518	Other diseases of lung	7	1	8
537	Other disorders of stomach and duodenum	1	0	1
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	0	1	1

562	Diverticula of intestine	0	1	1
593	Other disorders of kidney and ureter	0	2	2
696	Psoriasis and similar disorders	0	1	1
714	Rheumatoid arthritis and other inflammatory polyarthropathies	1	1	2
716	Other and unspecified arthropathies	3	3	6
719	Other and unspecified disorders of joint	3	1	4
722	Intervertebral disc disorder	0	1	1
724	Other and unspecified disorders of back	5	3	8
727	Other disorders of synovium, tendon, and bursa	0	1	1
728	Disorders of muscle, ligament, and fiscia	1	0	1
733	Other disorders of bone and cartilage	1	1	2
780	General symptoms	3	6	9
799	Other ill-defined and unknown cause of morbidity and mortality	4	12	16
805	Fracture of vertebral column without mention of spinal cord	0	1	1
807	Fracture of rib(s), sternum, larynx, and trachea	0	1	1
808	Fracture of pelvis	0	1	1
810	Fracture of clavicle	0	1	1
811	Fracture of scapula	0	1	1
818	Ill-defined fractures of upper limb	0	1	1
820	Fracture of neck of femur	0	1	1
826	Fracture of one or more phalanges of foot	1	0	1
827	Other, multiple, and ill-defined fractures of lower limb	0	1	1
909	Late effects of other and unspecified external causes	1	0	1
995	Certain adverse effects not elsewhere classified	0	2	2
996	Complications peculiar to certain specified procedures	0	2	2
2750	Structure of lower extremity	0	1	1
3163	Thinking	0	1	1

3177	Making decisions	1	0	1
3199	Learning and applying knowledge, unspecified	0	1	1
3299	General tasks and demands, unspecified	0	2	2
3450	Walking	2	8	10
3455	Moving around	1	0	1
3470	Using transportation	1	1	2
3475	Driving	3	3	6
3498	Mobility, other specified	1	1	2
3499	Mobility, unspecified	2	4	6
3599	Self-care, unspecified	1	0	1
3630	Preparing meals	1	0	1
3649	Household tasks, other specified and unspecified	2	3	5
3845	Acquiring, keeping and terminating a job	0	2	2
3879	Economic life, other specified and unspecified	1	1	2
5819	Motor vehicle traffic accident of unspecified nature	1	0	1
5888	Other and unspecified fall	2	4	6
5947	Other And Unspecified Drugs And Medicinal Substances Causing Adverse Effects In Therapeutic Use	1	0	1
6040	Mental And Behavioral Problems	1	1	2
6046	Other Dependence On Machines	1	5	6
6049	Other Conditions Influencing Health Status	2	1	3
6061	Other Family Circumstances	1	0	1
6065	Other Persons Seeking Consultation	1	1	2
7000	Procedures and Interventions, NEC	2	2	4
7035	Operations on valves and septa of heart	0	1	1
7036	Operations on vessels of heart	1	0	1
7037	Other operations on heart and pericardium	0	1	1
7055	Operations on kidney	2	0	2

7081	Repair and plastic operations on joint structures	0	4	4

Note: This variable reflects the second condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV608REB. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv607rec: Third condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z894s, c3_y_z894s
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 3RD CONDITION MENTIONED)	1584	1701	3285
53	Herpes zoster	0	1	1
138	Late effects of acute poliomyelitis	0	1	1
199	Malignant neoplasm without specification of site	0	1	1
250	Diabetes mellitus	0	5	5
278	Obesity and other hyperalimentation	1	0	1
289	Other diseases of blood and blood-forming organs	0	2	2
290	Senile and presenile organic psychotic conditions	1	0	1
314	Hyperkinetic syndrome of childhood	1	0	1
332	Parkinson’s disease	1	0	1

345	Epilepsy	0	1	1
351	Facial nerve disorders	1	0	1
366	Cataract	0	1	1
369	Blindness and low vision	0	1	1
379	Other eye disorders	0	1	1
389	Hearing loss	1	0	1
429	Ill-defined descriptions and complications of heart disease	1	1	2
436	Acute, but ill-defined, cerebrovascular disease	1	2	3
459	Other disorders of circulatory system	2	0	2
486	Pneumonia, organism unspecified	1	0	1
492	Emphysema	0	1	1
493	Asthma	0	1	1
523	Gingival and periodontal diseases	0	1	1
564	Functional digestive disorders, not elsewhere classified	1	0	1
573	Other disorders of liver	0	1	1
586	Renal failure, unspecified	1	0	1
593	Other disorders of kidney and ureter	1	0	1
602	Other disorders of prostate	0	1	1
709	Other disorders of skin and subcutaneous tissue	1	0	1
715	Osteoarthrosis and allied disorders	0	1	1
716	Other and unspecified arthropathies	3	2	5
719	Other and unspecified disorders of joint	0	1	1
721	Spondylosis and allied disorders	0	1	1
724	Other and unspecified disorders of back	1	0	1
780	General symptoms	0	2	2
799	Other ill-defined and unknown cause of morbidity and mortality	3	3	6
805	Fracture of vertebral column without mention of spinal cord	0	1	1

820	Fracture of neck of femur	1	0	1
824	Fracture of ankle	0	1	1
998	Other complications of procedures, not elsewhere classified	0	1	1
3160	Focusing attention	0	1	1
3299	General tasks and demands, unspecified	0	2	2
3430	Lifting and carrying objects	0	1	1
3450	Walking	4	1	5
3475	Driving	0	1	1
3499	Mobility, unspecified	1	1	2
3540	Dressing	0	1	1
3649	Household tasks, other specified and unspecified	0	2	2
3879	Economic life, other specified and unspecified	2	3	5
5819	Motor vehicle traffic accident of unspecified nature	1	0	1
5878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication without mention of misadventure at the time of operation	1	0	1
5888	Other and unspecified fall	2	1	3
5904	Hunger, thirst, exposure, and neglect	1	0	1
6065	Other Persons Seeking Consultation	0	1	1
7013	Operations on lens	0	1	1
7052	Operations on pancreas	1	0	1
7078	Other operations on bones, except facial bones	0	1	1

Note: This variable reflects the third condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV608REC. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv607red: Fourth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z894s, c4_y_z894s
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 4TH CONDITION MENTIONED)	1610	1731	3341
189	Malignant neoplasm of kidney and other unspecified urinary organs	0	1	1
199	Malignant neoplasm without specification of site	0	1	1
246	Other disorders of thyroid	0	1	1
278	Obesity and other hyperalimentation	0	1	1
290	Senile and presenile organic psychotic conditions	1	0	1
311	Depressive disorder, not elsewhere classified	1	0	1
356	Hereditary and idiopathic peripheral neuropathy	0	2	2
369	Blindness and low vision	0	2	2
429	Ill-defined descriptions and complications of heart disease	2	1	3
430	Subarachnoid hemorrhage	0	1	1
436	Acute, but ill-defined, cerebrovascular disease	0	1	1
518	Other diseases of lung	0	1	1
569	Other disorders of intestine	0	1	1
716	Other and unspecified arthropathies	0	1	1

719	Other and unspecified disorders of joint	1	1	2
780	General symptoms	0	2	2
799	Other ill-defined and unknown cause of morbidity and mortality	0	1	1
824	Fracture of ankle	1	0	1
3475	Driving	1	2	3
5888	Other and unspecified fall	1	0	1
6046	Other Dependence On Machines	1	1	2
7045	Incision, excision, and anastomosis of intestine	0	1	1
7085	Operations on the breast	1	0	1

Note: This variable reflects the fourth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV608RED. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv607ree: Fifth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z894s, c5_y_z894s
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 5TH CONDITION MENTIONED)	1617	1744	3361
174	Malignant neoplasm of female breast	0	1	1
250	Diabetes mellitus	1	1	2
278	Obesity and other hyperalimentation	1	0	1
362	Other retinal disorders	0	1	1
595	Cystitis	0	1	1
724	Other and unspecified disorders of back	0	1	1
780	General symptoms	0	1	1
3450	Walking	0	1	1
3470	Using transportation	1	0	1
3475	Driving	0	1	1
7080	Incision and excision of joint structures	0	1	1

Note: This variable reflects the fifth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV608REE. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv607ref: Sixth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z894s, c6_y_z894s
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 6TH CONDITION MENTIONED)	1618	1751	3369
38	Septicemia	0	1	1
784	Symptoms involving head and neck	0	1	1
989	Toxic effect of other substances, chiefly nonmedicinal as to source	1	0	1
6065	Other Persons Seeking Consultation	1	0	1

Note: This variable reflects the sixth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV608REF. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv607reg: Seventh condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z894s, c7_y_z894s
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 7TH CONDITION MENTIONED)	1619	1752	3371
41	Bacterial infection in conditions classified elsewhere and of unspecified site	0	1	1
369	Blindness and low vision	1	0	1

Note: This variable reflects the seventh condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV608REG. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv608rea: Summary of first condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv607rea

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	5	4	9
-18	NOT CODEABLE	1	0	1
-5	PARTIAL INTERVIEW	2	1	3

-4	NOT ASCERTAINED	1	0	1
-3	REFUSED	3	2	5
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
10	Infectious and Parasitic Diseases	5	4	9
20	Neoplasms	29	29	58
30	Endocrine, Nutritional, Metabolic, Immunity	16	23	39
40	Blood and Blood-Forming Organs	1	0	1
50	Mental Disorders	43	53	96
60	Nervous System and Sense Organs	44	85	129
70	Circulatory System	49	65	114
80	Respiratory System	6	15	21
90	Digestive System	2	2	4
100	Genitourinary system	4	4	8
120	Skin and Subcutaneous Tissue	0	1	1
130	Musculoskeletal System and Connective Tissue	33	33	66
140	Congenital Anomalies	3	5	8
160	Symptoms, Signs, and Ill-Defined Conditions	85	83	168
170	Injury and Poisoning	17	19	36
180	ICD-9 E Codes	8	8	16
190	ICD-9 V Codes	16	24	40
200	ICD-9 Volume 3 Headings	23	33	56
230	ICF Activities and Participation	26	40	66

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV607REA into categories, reflects the first condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv608reb: Summary of second condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv607reb

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	0	1	1
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 2ND CONDITION MENTIONED)	1507	1584	3091
10	Infectious and Parasitic Diseases	0	2	2
20	Neoplasms	5	7	12
30	Endocrine, Nutritional, Metabolic, Immunity	4	5	9
40	Blood and Blood-Forming Organs	1	1	2
50	Mental Disorders	10	14	24
60	Nervous System and Sense Organs	15	19	34
70	Circulatory System	14	19	33
80	Respiratory System	9	7	16
90	Digestive System	1	2	3
100	Genitourinary system	0	2	2
120	Skin and Subcutaneous Tissue	0	1	1
130	Musculoskeletal System and Connective Tissue	14	11	25
160	Symptoms, Signs, and Ill-Defined Conditions	7	18	25
170	Injury and Poisoning	2	12	14

180	ICD-9 E Codes	4	4	8
190	ICD-9 V Codes	6	8	14
200	ICD-9 Volume 3 Headings	5	8	13
220	ICF Body Structures	0	1	1
230	ICF Activities and Participation	16	27	43

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV607REB into categories, reflects the second condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv608rec: Summary of third condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv607rec

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 3RD CONDITION MENTIONED)	1584	1701	3285
10	Infectious and Parasitic Diseases	0	2	2
20	Neoplasms	0	1	1
30	Endocrine, Nutritional, Metabolic, Immunity	1	5	6
40	Blood and Blood-Forming Organs	0	2	2
50	Mental Disorders	2	0	2
60	Nervous System and Sense Organs	3	4	7
70	Circulatory System	4	3	7
80	Respiratory System	1	2	3
90	Digestive System	1	2	3
100	Genitourinary system	2	1	3
120	Skin and Subcutaneous Tissue	1	0	1
130	Musculoskeletal System and Connective Tissue	4	5	9
160	Symptoms, Signs, and Ill-Defined Conditions	3	5	8
170	Injury and Poisoning	1	3	4
180	ICD-9 E Codes	5	1	6
190	ICD-9 V Codes	0	1	1
200	ICD-9 Volume 3 Headings	1	2	3
230	ICF Activities and Participation	7	13	20

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV607REC into categories, reflects the third condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details

regarding coding, see cor867 in Appendix R. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv608red: Summary of fourth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv607red

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 4TH CONDITION MENTIONED)	1610	1731	3341
20	Neoplasms	0	2	2
30	Endocrine, Nutritional, Metabolic, Immunity	0	2	2
50	Mental Disorders	2	0	2
60	Nervous System and Sense Organs	0	4	4
70	Circulatory System	2	3	5
80	Respiratory System	0	1	1
90	Digestive System	0	1	1
130	Musculoskeletal System and Connective Tissue	1	2	3
160	Symptoms, Signs, and Ill-Defined Conditions	0	3	3
170	Injury and Poisoning	1	0	1
180	ICD-9 E Codes	1	0	1
190	ICD-9 V Codes	1	1	2
200	ICD-9 Volume 3 Headings	1	1	2
230	ICF Activities and Participation	1	2	3

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV607RED into categories, reflects the fourth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv608ree: Summary of fifth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv607ree

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 5TH CONDITION MENTIONED)	1617	1744	3361
20	Neoplasms	0	1	1
30	Endocrine, Nutritional, Metabolic, Immunity	2	1	3
60	Nervous System and Sense Organs	0	1	1
100	Genitourinary system	0	1	1
130	Musculoskeletal System and Connective Tissue	0	1	1
160	Symptoms, Signs, and Ill-Defined Conditions	0	1	1
200	ICD-9 Volume 3 Headings	0	1	1
230	ICF Activities and Participation	1	2	3

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV607REE into categories, reflects the fifth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv608ref: Summary of sixth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv607ref

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 6TH CONDITION MENTIONED)	1618	1751	3369
10	Infectious and Parasitic Diseases	0	1	1
160	Symptoms, Signs, and Ill-Defined Conditions	0	1	1
170	Injury and Poisoning	1	0	1
190	ICD-9 V Codes	1	0	1

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV607REF into categories, reflects the sixth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv608reg: Summary of seventh condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, kv607reg

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 | NO 7TH CONDITION MENTIONED)	1619	1752	3371
10	Infectious and Parasitic Diseases	0	1	1
60	Nervous System and Sense Organs	1	0	1

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV607REG into categories, reflects the seventh condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv609re: Primary caregiver for person whom Participant is currently providing the most care to.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z900

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	2	0	2
-3	REFUSED	1	1	2
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON’T KNOW	11	7	18
1	PARTICIPANT	174	295	469
2	SOMEONE ELSE	232	229	461

Note: Here, "primary caregiver" means whomever provides most of the unpaid care for the referenced person (as reported by the participant). If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv610re: In an average week, hours Participant spends caring for person they are currently providing the most care to because of long-term illness or disability.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z900hr

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	2	0	2
-3	REFUSED	2	2	4
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON’T KNOW	10	13	23
0	NONE / CAREGIVING IS INFREQUENT	29	22	51
1 - 2		154	164	318
3 - 5		96	118	214
6 - 16		65	115	180
17 - 168		62	98	160

Note: If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv611re: How far away Participant lives from person for whom they are currently providing the most care.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z900d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-26	UNABLE TO CODE, MULTIPLE PEOPLE MENTIONED	5	4	9
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	1	0	1
-3	REFUSED	1	1	2
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
1	LIVES IN THE SAME HOUSE	122	167	289
2	LESS THAN 20 MINUTES AWAY	179	231	410
3	BETWEEN 20 AND 60 MINUTES AWAY	74	98	172
4	BETWEEN 1 AND 2 HOURS AWAY	15	10	25
5	MORE THAN 2 HOURS AWAY	23	21	44

Note: If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv612re: Extent to which Participant wishes friends and family would help more with their responsibilities caring for the person whom they are currently providing the most care to.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z901he

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	2	0	2
-3	REFUSED	1	1	2
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON’T KNOW	2	7	9
1	VERY MUCH	32	38	70
2	SOMEWHAT	126	169	295
3	NOT AT ALL	257	317	574

Note: If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv613re: Century-month Participant started helping person for whom they are currently providing the most care.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_z896_mo, y_z896_yr

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	3	2	5
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON’T KNOW	12	14	26
637 - 1209		87	98	185
1211 - 1276		91	95	186
1277 - 1302		90	95	185
1303 - 1323		75	116	191
1324 - 1354		62	112	174

Note: Century-months are the months elapsed since the beginning of the year 1900. For this variable, they were calculated by subtracting 1900 from the calendar year reported by the participant as when they began helping the referenced person, multiplying the difference by 12, and then adding between 1 and 12 to quantify the corresponding month reported by the participant. If data on the month in which the participant began helping the referenced person was unavailable, the exact century-month was approximated using June (6), the middlemost month of the year. For more information on century-months, see cor607 in Appendix O. If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE).

kv614re: Is the person for whom Participant is currently providing the most care also the person they have provided the most care to ever?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv600re, y_VERSION, y_z896_mo, y_z896a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	7	14	21
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	3	3	6
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1)	1200	1221	2421
-1	DON’T KNOW	0	1	1
1	YES	306	294	600
2	NO	111	234	345

Note: If the participant is only currently providing unpaid personal care to one person, that person is - for the purposes of this variable - whom they are providing the most care to (see KV601RE). Variables KV620RE through KV631RE are not applicable to participants serving as current caregivers unless they definitively reported having provided more care to someone else in the past (i.e. they are coded as "2" on this variable).

kv620re: Participant’s relationship to person for whom they provided the most care ever.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z894f, c_y_z894f

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	2	3

-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
1	HUSBAND	0	179	179
2	FORMER HUSBAND	0	7	7
3	MALE PARTNER/LOVER	2	4	6
4	SON	17	7	24
6	BROTHER	13	13	26
7	FATHER	61	61	122
9	(GREAT) GRANDSON	0	2	2
11	BROTHER-IN-LAW	5	2	7
13	FATHER-IN-LAW	19	17	36
16	STEP-BROTHER	1	0	1
17	STEP-FATHER	0	2	2
19	UNCLE	2	5	7
20	NEPHEW	1	0	1
21	MALE FRIEND	6	3	9
25	OTHER MALE NON-RELATIVE	3	0	3
27	FOSTER FATHER	0	1	1
31	WIFE	100	0	100
32	FORMER WIFE	5	0	5
33	FEMALE PARTNER/LOVER	3	0	3
34	DAUGHTER	11	33	44
36	SISTER	9	26	35
37	MOTHER	170	345	515
38	GRANDMOTHER	3	4	7
39	(GREAT) GRANDDAUGHTER	0	4	4
40	DAUGHTER-IN-LAW	0	2	2
41	SISTER-IN-LAW	4	5	9

43	MOTHER-IN-LAW	40	53	93
47	STEP-MOTHER	0	2	2
49	AUNT	10	8	18
50	NIECE	0	1	1
51	FEMALE FRIEND	2	24	26
53	OTHER FEMALE RELATIVE	1	0	1
55	OTHER FEMALE NON-RELATIVE	1	0	1
56	FEMALE WARD	0	1	1
61	BOTH PARENTS	3	5	8
64	BOTH GRANDPARENTS	1	0	1
65	ALL CHILDREN	0	1	1
73	PARTNER/LOVER, GENDER UNKNOWN	1	1	2
90	SOMEONE'S FIRST NAME, RELATIONSHIP UNKNOWN	1	0	1
91	FRIEND, GENDER UNKNOWN	45	59	104
102	AUNT OR UNCLE	0	1	1
103	MULTIPLE (GREAT) GRANDCHILDREN	1	1	2
104	MULTIPLE RECIPIENTS	0	2	2
107	MULTIPLE CAREGIVERS, FRIENDS	1	1	2
109	SPOUSE'S AUNT	2	2	4
110	SPOUSE'S UNCLE	0	1	1
114	COUSIN	4	2	6
143	MOTHER OF PARTNER/LOVER	0	2	2
164	EMPLOYER	0	1	1
168	MULTIPLE RELATIVES	0	1	1
175	NEIGHBOR	8	4	12

Note: This variable, although similar to SV030RE from the 1994 wave and CV060RE from the 2005 wave, does not fully replicate either. SV030RE and CV060RE capture the participant's relationship to whomever they previously reported providing the most care to ever for a period of one month or more (spouses excluded for CV060RE). This variable, however, does not necessarily require the participant's most intensive episode as a caregiver to have a minimum duration of one month. Said restriction, while in

place for participants who were not caring for anyone at the time of their 2011 interview (see KV001RE), was never communicated to those who reported being current caregivers but having provided more care to someone else in the past (see KV600RE and KV614RE); participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable.

kv621re: Roster identification number of child or sibling for whom Participant provided the most care ever.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv620re, y_z894f, y_z898nam, y_z898nbm

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	2	0	2
-3	REFUSED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KV620RE != 4,6,34, OR 36)	1576	1675	3251
101		7	17	24
102		7	9	16
103		6	6	12
104		4	4	8
105		2	2	4
106		1	1	2
108		0	1	1
301		6	12	18
302		3	11	14
303		7	5	12
304		2	2	4
305		1	4	5
306		1	2	3
307		0	1	1
308		0	1	1
309		0	1	1

Note: This variable is only applicable to participants who reported a child or sibling as the person to whom they provided the most unpaid personal care ever (see KV620RE). Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

Note: 100s are Child Roster ID Numbers
300s are Sibling Roster ID Numbers

kv622re: Sex of person for whom Participant provided the most care ever.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv620re, y_zgenm

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-26	UNABLE TO CODE, MULTIPLE PEOPLE MENTIONED	6	11	17
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
1	MALE	169	313	482
2	FEMALE	381	571	952

Note: This variable is only applicable to participants currently serving as caregivers if they definitively indicated the current episode does not constitute their most intensive one ever (see KV614RE).

kv623re: Age of person for whom Participant provided the most care ever at beginning of caregiving episode.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z898mm

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-26	UNABLE TO CODE, MULTIPLE PEOPLE MENTIONED	6	11	17
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	270	413	683
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	7	5	12
0	LESS THAN ONE YEAR OLD	1	2	3
1 - 60		58	89	147
61 - 71		60	97	157
72 - 79		55	100	155
80 - 86		51	102	153
87 - 98		48	76	124

Note: The high number of cases coded as "not ascertained" on this variable are due to a programmatic error whereby the CAPI instrument confused current age or age at time of death for the age at which caregiving was initiated. This variable is only applicable to participants currently serving as caregivers if they definitively indicated the current episode does not constitute their most intensive one ever (see KV614RE).

kv624rea: First condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z894sm, c_y_z894sm
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	6	11	17
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	1	1	2
-3	REFUSED	2	2	4
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	0	1	1
1 - 999	ICD-9 CONDITION CODES	469	742	1211
1000 - 4999	ICF CONDITION CODES	22	27	49
5000 - 5999	ICD-9 E CODES	13	13	26
6000 - 6999	ICD-9 V CODES	15	23	38
7000 - 7999	ICD-9 VOLUME 3 HEADINGS	29	77	106

Note: This variable reflects the first condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV625REA. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv624reb: Second condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z894sm, c2_y_z894sm
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	0	1	1
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 2ND CONDITION MENTIONED)	1490	1521	3011
1 - 999	ICD-9 CONDITION CODES	97	173	270
1000 - 4999	ICF CONDITION CODES	14	28	42
5000 - 5999	ICD-9 E CODES	12	10	22
6000 - 6999	ICD-9 V CODES	6	7	13
7000 - 7999	ICD-9 VOLUME 3 HEADINGS	7	14	21

Note: This variable reflects the second condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV625REB. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv624rec: Third condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z894sm, c3_y_z894sm
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 3RD CONDITION MENTIONED)	1586	1663	3249
1 - 999	ICD-9 CONDITION CODES	23	61	84
1000 - 4999	ICF CONDITION CODES	7	18	25
5000 - 5999	ICD-9 E CODES	2	4	6
6000 - 6999	ICD-9 V CODES	2	3	5
7000 - 7999	ICD-9 VOLUME 3 HEADINGS	6	5	11

Note: This variable reflects the third condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV625REC. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv624red: Fourth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z894sm, c4_y_z894sm
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 4TH CONDITION MENTIONED)	1610	1722	3332
1 - 999	ICD-9 CONDITION CODES	10	27	37
1000 - 4999	ICF CONDITION CODES	2	2	4
5000 - 5999	ICD-9 E CODES	2	1	3
6000 - 6999	ICD-9 V CODES	1	2	3
7000 - 7999	ICD-9 VOLUME 3 HEADINGS	1	0	1

Note: This variable reflects the fourth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV625RED. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv624ree: Fifth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z894sm, c5_y_z894sm
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 5TH CONDITION MENTIONED)	1624	1748	3372
1 - 999	ICD-9 CONDITION CODES	2	4	6
1000 - 4999	ICF CONDITION CODES	0	1	1
6000 - 6999	ICD-9 V CODES	0	1	1

Note: This variable reflects the fifth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV625REE. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv624ref: Sixth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z894sm, c6_y_z894sm
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 6TH CONDITION MENTIONED)	1625	1751	3376
1 - 999	ICD-9 CONDITION CODES	1	2	3
1000 - 4999	ICF CONDITION CODES	0	1	1

Note: This variable reflects the sixth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. For a publicly released version of this variable that collapses detailed ICD-9 and ICF codes into categories, see KV625REF. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv625rea: Summary of first condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv624rea

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	6	11	17
-5	PARTIAL INTERVIEW	2	1	3

-4	NOT ASCERTAINED	1	1	2
-3	REFUSED	2	2	4
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	0	1	1
10	Infectious and Parasitic Diseases	3	3	6
20	Neoplasms	107	176	283
30	Endocrine, Nutritional, Metabolic, Immunity	10	22	32
40	Blood and Blood-Forming Organs	0	2	2
50	Mental Disorders	48	71	119
60	Nervous System and Sense Organs	55	103	158
70	Circulatory System	64	131	195
80	Respiratory System	16	22	38
90	Digestive System	7	4	11
100	Genitourinary system	2	9	11
110	Complications of Pregnancy, Childbirth, Puerperium	0	3	3
120	Skin and Subcutaneous Tissue	0	1	1
130	Musculoskeletal System and Connective Tissue	19	20	39
140	Congenital Anomalies	1	4	5
150	Conditions in the Perinatal Period	1	0	1
160	Symptoms, Signs, and Ill-Defined Conditions	118	145	263
170	Injury and Poisoning	18	26	44
180	ICD-9 E Codes	13	13	26
190	ICD-9 V Codes	15	23	38
200	ICD-9 Volume 3 Headings	29	77	106
230	ICF Activities and Participation	22	27	49

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV624REA into categories, reflects the first condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details

regarding coding, see cor867 in Appendix R. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv625reb: Summary of second condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv624reb

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-26	COULD NOT CODE MULTIPLE PEOPLE MENTIONED	0	1	1
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 2ND CONDITION MENTIONED)	1490	1521	3011
10	Infectious and Parasitic Diseases	0	3	3
20	Neoplasms	10	17	27
30	Endocrine, Nutritional, Metabolic, Immunity	6	15	21
40	Blood and Blood-Forming Organs	0	1	1
50	Mental Disorders	5	26	31
60	Nervous System and Sense Organs	12	20	32
70	Circulatory System	17	34	51
80	Respiratory System	4	4	8
90	Digestive System	3	1	4
100	Genitourinary system	2	4	6
130	Musculoskeletal System and Connective Tissue	12	15	27
160	Symptoms, Signs, and Ill-Defined Conditions	15	20	35
170	Injury and Poisoning	11	13	24
180	ICD-9 E Codes	12	10	22
190	ICD-9 V Codes	6	7	13
200	ICD-9 Volume 3 Headings	7	14	21
230	ICF Activities and Participation	14	28	42

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV624REB into categories, reflects the second condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv625rec: Summary of third condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv624rec

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 3RD CONDITION MENTIONED)	1586	1663	3249
10	Infectious and Parasitic Diseases	0	2	2
20	Neoplasms	1	6	7
30	Endocrine, Nutritional, Metabolic, Immunity	0	2	2
50	Mental Disorders	1	6	7
60	Nervous System and Sense Organs	1	8	9
70	Circulatory System	6	17	23
80	Respiratory System	1	2	3
90	Digestive System	0	1	1
130	Musculoskeletal System and Connective Tissue	5	6	11
140	Congenital Anomalies	1	0	1
160	Symptoms, Signs, and Ill-Defined Conditions	4	4	8
170	Injury and Poisoning	3	7	10
180	ICD-9 E Codes	2	4	6
190	ICD-9 V Codes	2	3	5
200	ICD-9 Volume 3 Headings	6	5	11
230	ICF Activities and Participation	7	18	25

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV624REC into categories, reflects the third condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable

(see KV614RE).

kv625red: Summary of fourth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv624red

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 4TH CONDITION MENTIONED)	1610	1722	3332
20	Neoplasms	2	3	5
30	Endocrine, Nutritional, Metabolic, Immunity	1	1	2
50	Mental Disorders	0	3	3
60	Nervous System and Sense Organs	0	4	4
70	Circulatory System	3	4	7
80	Respiratory System	1	3	4
90	Digestive System	0	1	1
100	Genitourinary system	1	2	3
130	Musculoskeletal System and Connective Tissue	0	3	3
150	Conditions in the Perinatal Period	0	1	1
160	Symptoms, Signs, and Ill-Defined Conditions	1	1	2
170	Injury and Poisoning	1	1	2
180	ICD-9 E Codes	2	1	3
190	ICD-9 V Codes	1	2	3
200	ICD-9 Volume 3 Headings	1	0	1
230	ICF Activities and Participation	2	2	4

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV624RED into categories, reflects the fourth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable

(see KV614RE).

kv625ree: Summary of fifth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv624ree

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 5TH CONDITION MENTIONED)	1624	1748	3372
60	Nervous System and Sense Organs	0	1	1
70	Circulatory System	1	1	2
160	Symptoms, Signs, and Ill-Defined Conditions	0	1	1
170	Injury and Poisoning	1	1	2
190	ICD-9 V Codes	0	1	1
230	ICF Activities and Participation	0	1	1

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV624REE into categories, reflects the fifth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv625ref: Summary of sixth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, kv624ref

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2 | NO 6TH CONDITION MENTIONED)	1625	1751	3376
80	Respiratory System	1	0	1
130	Musculoskeletal System and Connective Tissue	0	1	1
160	Symptoms, Signs, and Ill-Defined Conditions	0	1	1
230	ICF Activities and Participation	0	1	1

Note: This variable, which collapses the detailed ICD-9 and ICF codes used at KV624REF into categories, reflects the sixth condition, illness, or disability mentioned by the participant as causing the referenced person to need care. For more information about ICD-9 and ICF codes, as well as details regarding coding, see cor867 in Appendix R. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

kv626re: Primary caregiver for person whom Participant provided the most care ever to.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z900m

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	6	18	24
1	PARTICIPANT	298	646	944
2	SOMEONE ELSE	252	231	483

Note: Here, "primary caregiver" means whomever provided most of the unpaid care for the referenced person (as reported by the participant). This variable is only applicable to participants currently serving as caregivers if they definitively indicated the current episode does not constitute their most intensive one ever (see KV614RE).

kv627re: In an average week, hours Participant spent caring for person they provided the most care to ever because of long-term illness or disability.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z900hrm

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	2	2	4
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	21	58	79
0	NONE / CAREGIVING IS INFREQUENT	6	3	9
1 - 5		160	160	320
6 - 12		134	166	300
13 - 25		115	171	286
27 - 100		80	196	276
102 - 168		39	141	180

Note: This variable is only applicable to participants currently serving as caregivers if they definitively indicated the current episode does not constitute their most intensive one ever (see KV614RE).

kv628re: How far away Participant lived from person for whom they provided the most care ever.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z900dm

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-26	UNABLE TO CODE, MULTIPLE PEOPLE MENTIONED	6	11	17
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON'T KNOW	4	2	6
1	LIVES IN THE SAME HOUSE	214	390	604
2	LESS THAN 20 MINUTES AWAY	216	302	518
3	BETWEEN 20 AND 60 MINUTES AWAY	67	109	176
4	BETWEEN 1 AND 2 HOURS AWAY	18	33	51
5	MORE THAN 2 HOURS AWAY	31	48	79

Note: This variable is only applicable to participants currently serving as caregivers if they definitively indicated the current episode does not constitute their most intensive one ever (see KV614RE).

kv629re: Extent to which Participant wished friends and family would have helped more with their responsibilities caring for the person whom they provided the most care ever to.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z901hem

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	4	6	10
1	VERY MUCH	55	116	171
2	SOMEWHAT	185	325	510
3	NOT AT ALL	312	448	760

Note: This variable is only applicable to participants currently serving as caregivers if they definitively indicated the current episode does not constitute their most intensive one ever (see KV614RE).

kv630re: Century-month Participant started helping person for whom they provided the most care ever.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z896m_mo, y_z896m_yr

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	47	73	120
570 - 1038		97	170	267
1040 - 1146		95	178	273
1147 - 1219		99	167	266
1220 - 1284		105	162	267
1285 - 1352		113	145	258

Note: Century-months are the months elapsed since the beginning of the year 1900. For this variable, they were calculated by subtracting 1900 from the calendar year reported by the participant as when they began helping the referenced person, multiplying the difference by 12, and then adding between 1 and 12 to quantify the corresponding month reported by the participant. If data on the month in which the participant began helping the referenced person was unavailable, the exact century-month was approximated using June (6), the middlemost month of the year. For more information on century-months, see cor607 in Appendix O. This variable is only applicable to participants currently serving as caregivers if they definitively indicated the current episode does not constitute their most intensive one ever (see KV614RE).

kv631re: Reason Participant is no longer helping person for whom they provided the most care ever.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kv001re, kv600re, kv614re, y_z896s, c_y_z896s

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF NON-SPOUSE PROXY	1	13	14
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAPPROPRIATE (KV600RE != 1 & KV001RE != 1 | KV600RE = 1 & KV614RE != 2)	1069	857	1926
-1	DON’T KNOW	1	0	1
1	PERSON NO LONGER NEEDS CARE	80	114	194
2	SOMEONE ELSE IS HELPING	19	29	48
3	PERSON IS DECEASED	429	724	1153
4	STILL PROVIDING CARE TO PERSON	19	15	34
5	MOVED OR LOST CONTACT WITH PERSON	7	8	15
6	GREW TIRED OF HELPING OR NO LONGER ABLE TO HELP	1	5	6

Note: In rare cases participants mentioned multiple reasons for terminating the referenced caregiving arrangement; in such cases, this variable reflects the first reason mentioned. Participants serving as current caregivers who did not definitively report having provided more care to someone else in the past are not covered by this variable (see KV614RE).

Table of Contents

In Person: Caregiving 1
kcarstat: Was the Caregiving Module completed by Participant alone, with help, or by proxy? . 2
kcarrel: Relationship of Caregiving Module helper or proxy to Participant. 3
kv600re: Is Participant currently providing unpaid personal care to any family member or friends? 4
kv001re: Has Participant ever given unpaid personal care for a period of one month or more to a family member or friend because of a long-term physical or mental condition, illness, or disability? 5
kv601re: Number of people for whom Participant is currently providing unpaid care. . . . 6
kv602re: Combined hours Participant currently spends providing care for multiple recipients in an average week. 7
kv603re: Participant's relationship to person for whom they are currently providing the most care. 8
kv604re: Roster identification number of child or sibling for whom Participant is currently providing the most care. 11
kv605re: Sex of person for whom Participant is currently providing the most care. . . . 12
kv606re: Age of person for whom Participant is currently providing the most care. . . . 12
kv607rea: First condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes. 13
kv607reb: Second condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes. 20
kv607rec: Third condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes. 25
kv607red: Fourth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes. 28
kv607ree: Fifth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes. 29
kv607ref: Sixth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes. 30
kv607reg: Seventh condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are ICD-9 and ICF codes. 31
kv608rea: Summary of first condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes. 32
kv608reb: Summary of second condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes. 34
kv608rec: Summary of third condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes. 35
kv608red: Summary of fourth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes. 37
kv608ree: Summary of fifth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes. 39
kv608ref: Summary of sixth condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes. 40
kv608reg: Summary of seventh condition, illness, or disability that caused person for whom Participant is currently providing the most care to need it. These are collapsed ICD-9 and ICF codes. 40

kv609re: Primary caregiver for person whom Participant is currently providing the most care to. 41
kv610re: In an average week, hours Participant spends caring for person they are currently providing the most care to because of long-term illness or disability. 42
kv611re: How far away Participant lives from person for whom they are currently providing the most care. 43
kv612re: Extent to which Participant wishes friends and family would help more with their responsibilities caring for the person whom they are currently providing the most care to. . . 44
kv613re: Century-month Participant started helping person for whom they are currently providing the most care. 45
kv614re: Is the person for whom Participant is currently providing the most care also the person they have provided the most care to ever? 46
kv620re: Participant's relationship to person for whom they provided the most care ever. . . 47
kv621re: Roster identification number of child or sibling for whom Participant provided the most care ever. 50
kv622re: Sex of person for whom Participant provided the most care ever. 52
kv623re: Age of person for whom Participant provided the most care ever at beginning of caregiving episode. 52
kv624rea: First condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes. 53
kv624reb: Second condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes. 55
kv624rec: Third condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes. 56
kv624red: Fourth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes. 57
kv624ree: Fifth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes. 58
kv624ref: Sixth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are ICD-9 and ICF codes. 58
kv625rea: Summary of first condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes. 59
kv625reb: Summary of second condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes. . 61
kv625rec: Summary of third condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes. 63
kv625red: Summary of fourth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes. 65
kv625ree: Summary of fifth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes. 67
kv625ref: Summary of sixth condition, illness, or disability that caused person for whom Participant provided the most care ever to need it. These are collapsed ICD-9 and ICF codes. 67
kv626re: Primary caregiver for person whom Participant provided the most care ever to. . . 68
kv627re: In an average week, hours Participant spent caring for person they provided the most care to ever because of long-term illness or disability. 69
kv628re: How far away Participant lived from person for whom they provided the most care ever. 70
kv629re: Extent to which Participant wished friends and family would have helped more with their responsibilities caring for the person whom they provided the most care ever to. 71

kv630re: Century-month Participant started helping person for whom they provided the most care ever. 72
kv631re: Reason Participant is no longer helping person for whom they provided the most care ever 73