In Person: Parents

KPAR Parent Module

OVERVIEW

The parents module updates information on the participant's parent(s).

For all cases we update missing information such as date of birth, date of death, parent's nationality, and cause of death.

For parents who were alive at the time of last interview we update mortaility status.

If a parent has since died we ask about date and cause of death.

Analysis variables for this round carry forward information collected in prior waves. For example, reports of parents dates and cause of death ascertained in prior waves are inserted into analysis variables created for this wave.

If a parent is still alive we ask about health, living situation, and frequency of contact with the participant. We also ask about closeness and whether the participant and parent share a similar outlook on life. In previous waves questions on closesness and outlook on life were only asked of a 50% sample, but in this wave they are asked about all surviving parents.

Comparison questions regarding work, finances, and family were not asked in the 2011 wave.

If the participant was currently married or partnered then we asked the mortality status of the participant's father and/or mother-in-law.

BRIEF VARIABLE DESCRIPTIONS

KPARSTAT-KPARREL	Module-Level Status Variables
KE050MA-KE061MAB:	Variables for Mother of Respondent: Year of Birth, Year of Death, Cause of Death, Nationality, Health, Residence, Contact with R, Similar Outlook to R, Closeness with R.
KE062FA-KE073FAB:	Variables for Father of Respondent: Year of Birth,Year of Death, Cause of Death, Nationality, Health, Residence, Contact with R, Similar Outlook to R, Closeness with R.
KE074PAB-KE075PAC:	Variables for Parents of Respondent: Married to Each Other, Same Residence.
KE080MI:	Mortality Status of Mother-in-Law if the Respondent was Currently Married.

```
KE085FI:            Mortality Status of Father-in-Law if the
                    Respondent was Currently Married.

For variable creation details see cor873 in Appendix D.
```

kparstat: Was the Parent Module completed by participant alone, with help, or by proxy?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_parproxy1, y_parhelp0, capiproxy, y_proxy, and y_ivwloc

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
1	R COMPLETED ALONE	1395	1661	3056
2	R COMPLETED ALONE WITH SOMEONE ELSE IN THE ROOM	149	74	223
3	R RECEIVED A LITTLE HELP	61	18	79
4	R RECEIVED A LOT OF HELP	15	3	18
5	HELPER RESPONDED TO ALL ITEMS	1	0	1
6	MODULE PROXY	1	0	1
7	WHOLE INTERVIEW DONE BY PROXY	7	12	19

Note: For many cases a participant's spouse or other family member was present during the interview. This sometimes resulted in the participant relying on the other person for help in answering some or many of the questions. At the end of each module the interviewer indicated the amount of help the participant received and who provided that help. That assessment is covered by codes 1 through 5. Additionally, a code of 7 indicates that the entire interview was administered to a proxy while a code of 6 indicates that this particular module was answered by a proxy but other modules were answered by the participant.

kparrel: Relationship of Parent Module helper or proxy to participant.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kparstat, y_parproxy1, y_parhelp0, y_parhelp1, y_parhelp2_hfn, y_parhelp3, y_h1fn to y_h4fn, y_pfn, prxyfnam, y_p1fn to y_p5fn, y_prel, prxyrel, and y_p1rel to y_p5rel

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	0	3	3
-2	Inappropriate INAPPLICABLE, R completed alone or refused (kparstat=1,2,-3)	1544	1735	3279
0	SPOUSE	76	15	91
8	DAUGHTER	0	8	8
25	FRIEND	1	0	1
41	ROMANTIC PARTNER	2	2	4
43	SISTER	1	2	3
45	SISTER-IN-LAW	0	1	1
48	SON	5	2	7

Note: If this module was administered via proxy or if the participant received help answering the questions in this module then the interviewer recorded the relationship of the proxy/helper to the participant. Although most participants relied on only one helper or proxy for the interview, some had more than one. Thus the value of the relationship code may vary across the modules.

ke050ma: Mother alive at time of interview?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e140f, y_mothmort

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
1	YES	130	131	261
2	NO	1499	1637	3136

ke051ma: Mother's year of birth.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e1dob_y, ce051ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	Not Part of MOSAQ	72	63	135
-4	Not ascertained	10	9	19
-3	Refused	0	2	2
-1	Don't Know	53	38	91
1876 - 1907		331	384	715
1908 - 1911		352	395	747
1912 - 1914		345	367	712
1915 - 1918		374	381	755
1919 - 1949		164	192	356

Note: The question did not specify which mother. Therefore some participants give inconsistent answers on mortality status and dates of birth and death across waves because they report on different mothers (biological, adopted, or step) across waves. Unfortunately we do NOT measure participant's parental history.

ke052mab: Mother's year of death.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e1dod_y, ce052mab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	Not Part of MOSAQ	72	63	135
-2	Inappropriate Inap, R's mother is still alive or mortality status is unknown (ke050ma = 1 or ke050ma = -1)	130	131	261
-1	Don't Know	46	33	79
1926 - 1982		298	336	634
1983 - 1992		316	360	676
1993 - 1998		281	330	611
1999 - 2004		352	332	684
2005 - 2012		206	246	452

Note: The question did not specify which mother. Therefore some participants give inconsistent answers on mortality status and dates of birth and death across waves because they report on different mothers (biological, adopted, or step) across waves. Unfortunately we do NOT measure participant's parental history.

ke152mab: Multiple causes of Mother's death given?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e1mor8, ce152mab

Value	Label	Frequencies Male	Female	Total
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's mother is still alive or mortality status is unknown (ke050ma = 1 or ke050ma = -1)	130	131	261
0	No cause of death given in either wave	64	61	125
1	YES	252	297	549
2	NO, just one cause given	1183	1279	2462

Note: Please read cor867 in Appendix R for information on how cause of death information was coded with ICD-9 codes.

ke252mab: Mother's first cause of death. These are detailed ICD-9 codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e1mor8, ce252mab

Value	Label	Frequencies Male	Female	Total
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-18	COULD NOT CODE	3	3	6
-3	REFUSED	1	1	2
-2	Inappropriate Inap, R's mother is still alive or mortality status unknown (ke050ma = 1 or ke050ma=-1) or no cause of death given (ke152mab=0)	194	192	386
-1	DON'T KNOW	40	33	73
9	Ill-defined intestinal infections	1	1	2
10	Primary tuberculosis infection	1	1	2
11	Pulmonary tuberculosis	1	0	1
37	Tetanus	1	0	1

38	Septicemia	3	5	8
41	Bacterial infection in conditions classified elsewhere and of unspecified site	2	1	3
79	Viral infection in conditions classified elsewhere and of unspecified site	0	1	1
135	Sarcoidosis	1	0	1
136	Other and unspecified infectious and parasitic diseases	0	2	2
141	Malignant neoplasm of tongue	0	1	1
145	Malignant neoplasm of other and unspecified parts of the mouth	0	1	1
150	Malignant neoplasm of esophagus	3	1	4
151	Malignant neoplasm of stomach	18	13	31
152	Malignant neoplasm of small intestine, including duodenum	0	1	1
153	Malignant neoplasm of colon	24	37	61
154	Malignant neoplasm of rectum, rectosigmoid junction, and anus	1	1	2
155	Malignant neoplasm of liver and intrahepatic bile ducts	19	17	36
156	Malignant neoplasm of gallbladder and extrahepatic bile ducts	0	3	3
157	Malignant neoplasm of pancreas	9	11	20
159	Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum	4	1	5
161	Malignant neoplasm of larynx	5	8	13
162	Malignant neoplasm of trachea, bronchus, and lung	35	30	65
163	Malignant neoplasm of pleura	0	1	1
170	Malignant neoplasm of bone and articular cartilage	13	6	19
171	Malignant neoplasm of connective and other soft tissue	1	0	1
172	Malignant neoplasm of skin	1	1	2
174	Malignant neoplasm of female breast	42	49	91
179	Malignant neoplasm of uterus, part unspecified	6	6	12
180	Malignant neoplasm of cervix uteri	4	4	8

183	Malignant neoplasm of ovary and other uterine adnexa	9	19	28
184	Malignant neoplasm of other and unspecified female genital organs	1	1	2
188	Malignant neoplasm of bladder	1	3	4
189	Malignant neoplasm of kidney and other unspecified urinary organs	3	13	16
191	Malignant neoplasm of brain	8	10	18
194	Malignant neoplasm of other endocrine glands and related structures	0	1	1
195	Malignant neoplasm of other and ill-defined sites	9	2	11
199	Malignant neoplasm without specification of site	32	18	50
200	Lymphosarcoma and reticulosarcoma	1	0	1
201	Hodgkin’s disease	1	3	4
202	Other malignant neoplasms of lymphoid and histiocytic tissue	6	11	17
203	Multiple myeloma and immunoproliferative neoplasms	1	7	8
204	Lymphoid leukemia	0	2	2
208	Leukemia of unspecified cell type	11	10	21
239	Neoplasms of unspecified nature	5	14	19
250	Diabetes mellitus	17	21	38
266	Deficiency of B-complex components	1	0	1
279	Disorders involving the immune mechanism	1	0	1
284	Aplastic anemia	0	1	1
285	Other and unspecified anemias	0	1	1
287	Purpura and other hemorrhagic conditions	0	1	1
289	Other diseases of blood and blood-forming organs	2	1	3
290	Senile and presenile organic psychotic conditions	12	12	24
303	Alcohol dependence syndrome	0	2	2
307	Special symptoms or syndromes, not elsewhere classified	0	1	1
322	Meningitis of unspecified cause	0	1	1

331	Other cerebral degenerations	51	66	117
332	Parkinson's disease	11	19	30
335	Anterior horn cell disease	0	1	1
340	Multiple sclerosis	6	4	10
345	Epilepsy	1	0	1
349	Other and unspecified disorders of the nervous system	0	1	1
401	Essential hypertension	3	0	3
410	Acute myocardial infarction	27	39	66
414	Other forms of chronic ischemic heart disease	0	2	2
415	Acute pulmonary heart disease	4	5	9
427	Cardiac dysrhythmias	2	1	3
428	Heart failure	48	65	113
429	Ill-defined descriptions and complications of heart disease	286	331	617
430	Subarachnoid hemorrhage	3	6	9
431	Intracerebral hemorrhage	7	13	20
434	Occlusion of cerebral arteries	0	2	2
436	Acute, but ill-defined, cerebrovascular disease	127	163	290
440	Atherosclerosis	1	2	3
441	Aortic aneurysm	4	4	8
442	Other aneurysm	13	15	28
444	Arterial embolism and thrombosis	6	9	15
446	Polyarteritis nodosa and allied conditions	1	0	1
447	Other disorders of arteries and arterioles	1	0	1
459	Other disorders of circulatory system	0	1	1
482	Other bacterial pneumonia	1	0	1
486	Pneumonia, organism unspecified	30	36	66
487	Influenza	4	2	6
492	Emphysema	9	9	18

493	Asthma	2	0	2
496	Chronic airway obstruction, not elsewhere specified	3	3	6
515	Postinflammatory pulmonary fibrosis	0	1	1
518	Other diseases of lung	22	15	37
519	Other diseases of respiratory system	2	2	4
533	Peptic ulcer, site unspecified	0	3	3
537	Other disorders of stomach and duodenum	1	2	3
540	Acute appendicitis	1	0	1
560	Intestinal obstruction without mention of hernia	2	6	8
567	Peritonitis	0	1	1
569	Other disorders of intestine	3	2	5
571	Chronic liver disease and cirrhosis	3	1	4
573	Other disorders of liver	4	3	7
577	Diseases of pancreas	0	3	3
583	Nephritis and nephropathy, not specified as acute or chronic	0	1	1
584	Acute renal failure	0	1	1
586	Renal failure, unspecified	3	21	24
593	Other disorders of kidney and ureter	0	1	1
595	Cystitis	0	3	3
669	Other complications of labor and delivery, not elsewhere classified	2	2	4
672	Pyrexia of unknown orgin during the puerperium	0	1	1
710	Diffuse diseases of connective tissue	1	1	2
714	Rheumatoid arthritis and other inflammatory polyarthropathies	1	1	2
716	Other and unspecified arthropathies	1	0	1
733	Other disorders of bone and cartilage	0	2	2
753	Congenital anomalies of urinary system	1	0	1
780	General symptoms	0	1	1

783	Symptoms concerning nutrition, metabolism, and development	0	1	1
785	Symptoms involving cardiovascular system	1	1	2
799	Other ill-defined and unknown cause of morbidity and mortality	335	242	577
805	Fracture of vertebral column without mention of spinal cord	1	0	1
808	Fracture of pelvis	1	1	2
818	Ill-defined fractures of upper limb	0	1	1
820	Fracture of neck of femur	2	5	7
827	Other, multiple, and ill-defined fractures of lower limb	0	1	1
850	Concussion	0	1	1
854	Intracranial injury of other and unspecified nature	0	1	1
869	Internal injury to unspecified or ill-defined organs	1	0	1
908	Late effects of other and unspecified injuries	1	2	3
909	Late effects of other and unspecified external causes	2	1	3
959	Injury, other and unspecified	0	1	1
995	Certain adverse effects not elsewhere classified	0	8	8
996	Complications peculiar to certain specified procedures	2	1	3
997	Complications affecting specified body systems, not elsewhere classified	1	0	1
998	Other complications of procedures, not elsewhere classified	5	6	11
999	Complications of medical care, not elsewhere classified	1	1	2
5814	Motor vehicle traffic accident involving collision with pedestrian	1	1	2
5818	Other Noncollision Motor Vehicle Traffic Accident	0	1	1
5819	Motor vehicle traffic accident of unspecified nature	7	13	20
5876	Other and unspecified misadventures during medical care	0	1	1
5884	Other Accidental Falls From One Level To Another	1	1	2
5888	Other and unspecified fall	5	7	12
5904	Hunger, thirst, exposure, and neglect	1	1	2

5911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	0	2	2
5912	Inhalation And Ingestion Of Other Object Causing Obstruction Of Respiratory Tract Or Suffocation	0	1	1
5928	Other And Unspecified Environmental And Accidental Causes	5	1	6
5950	Suicide and self-inflicted poisoning by solid or liquid substances	1	0	1
5955	Suicide And Self-inflicted Injury By Firearms, Air Guns, And Explosives	0	1	1
5958	Suicide and self-inflicted injury by other and unspecified means	2	3	5
6046	Other Dependence On Machines	1	0	1
7044	Other operations on stomach	0	1	1

Note: Please read cor867 in Appendix R for information on how cause of death information was coded with ICD-9 codes.
Note: Please see the 'Phone/Mail: ICD-10 Variables' module for the ICD-10 version of the ICD-9 codes in this variable.

ke252mac: Mother's first cause of death. These are collapsed ICD-9 codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: ke252mab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-18	NOT CODEABLE	3	3	6
-3	REFUSED	1	1	2
-2	Inappropriate Inap, R's mother is still alive (ke050ma = 1) or no cause of death given (ke152mab=0)	194	192	386
-1	DON'T KNOW	40	33	73
10	Infectious and Parasitic Diseases	10	11	21
20	Neoplasms	273	306	579
30	Endocrine, Nutritional, Metabolic, Immunity	19	21	40
40	Blood and Blood-Forming Organs	2	4	6
50	Mental Disorders	12	15	27
60	Nervous System and Sense Organs	69	92	161
70	Circulatory System	533	658	1191
80	Respiratory System	73	68	141
90	Digestive System	14	21	35
100	Genitourinary system	3	27	30
110	Complications of Pregnancy, Childbirth, Puerperium	2	3	5
130	Musculoskeletal System and Connective Tissue	3	4	7
140	Congenital Anomalies	1	0	1
160	Symptoms, Signs, and Ill-Defined Conditions	336	245	581
170	Injury and Poisoning	17	30	47
180	ICD-9 E Codes	23	33	56
190	ICD-9 V Codes	1	0	1
200	ICD-9 Volume 3 Headings	0	1	1

Note: Please read cor867 in Appendix R for information on how cause of death information was coded with ICD-9 codes.

ke095ma: Original nationality of participant's Mother's family.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_eq65f, ce095ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	10	8	18
-3	REFUSED	1	2	3
-2	INAPPROPRIATE INAP	1	2	3
-1	DON'T KNOW	39	21	60
1	British (England, Great Britain, Channel Islands, Guernsey Isle, Isle of Man, Jersey Isle, United Kingdom)	140	168	308
2	Scottish (Scotland, Shetland Islands, Orkney Islands)	15	26	41
3	Welsh (Wales, South Wales)	10	8	18
4	Irish, Southern Irish	118	116	234
5	Norwegian-Norway (Svaifard, Jan Mayfn Islands)	156	141	297
6	Swedish-Sweden	40	33	73
7	Danish-Denmark	21	23	44
8	Dutch (Amsterdam, Holland, Netherlands)	46	50	96
9	Scandinavia--nonspecified	5	3	8
10	Belgium	28	16	44
11	Swiss-Switzerland	20	26	46
12	French-France (Alsace, Alsace-Lorraine, Corsica, Lorraine)	50	50	100
13	Luxembourg	3	1	4
14	German-Germany	659	793	1452

15	Polish (East Prussia, Galacia, Masuria, Poland, Pomerania, Silesia)	113	110	223
16	Czechoslovak (Bohemia, Ruthenia, Czechoslovakia, Moravia, Slovakia, Sudetenland)	52	49	101
17	Austria-Austrian	10	16	26
18	Hungary-Hungarian	6	5	11
19	Yugoslav (Bosnia, Carniola, Croatia, Dalmatia, Herzegovina, Macedonia, Montenegro, Slavonia, Slovenia, Venezia Giula, Yugoslavia, Zara)	14	12	26
20	Rumanian (Bukovina, Dobruja, Northern Dobruja, Transylvania, Wallachia)	1	0	1
22	Finnish-Finland (Lapland)	15	5	20
23	Greek (Crete, Cyclades Islands, Dodecanese Islands, Greece)	0	1	1
24	Italian (Italy, Sardinia, Sicily, Trieste)	15	17	32
25	Spanish and Portuguese (Balearic Islands, Majorca, Spain, Portugal)	0	1	1
26	Latvian	2	0	2
27	Lithuanian	5	7	12
28	Russian and Belorussian (Belorussia, Armenia, Azerbaijan, Bessarabia, Crimea, Georgia, Karelia, Kurile Islands, Rutenia, Northern Bukovina, Russia, Siberia, Sakhalin Island, Soviet Union, Transcaucasia, Turkestan, USSR)	5	8	13
29	Syrian-Syria	1	0	1
30	Lebanese-Lebanon	1	0	1
33	Japanese-Japan	1	0	1
35	Mexican (Mexico, Chicano)	0	1	1
36	African-African Negro	2	1	3
37	Canadian (Alberta, British Columbia, Canada, Franklin Territory, Keewatin Territory, Labrador, MacKenzie Territory, Manitoba, New Brunswick, Newfoundland, Nova Scotia, Ontario, Quebec, Saskatchewan, Yukon Territory)	1	3	4
38	French Canadian	8	13	21
39	Pennsylvania Dutch	3	3	6

40	Scotch-Irish	3	10	13
41	American Indian	4	11	15
42	Jewish	4	5	9
43	Ukranian	0	2	2
44	Panamanian	0	1	1
47	Assyrian	1	0	1

Note: See cor873 in Appendix D for information on how nationality data was coded.

ke053mab: Mother's health at time of interview.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e142f, ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	0	1
-2	Inappropriate Inap, R's mother is dead or mortality status is unknown (ke050ma = 2 or ke050ma = -1)	1499	1637	3136
-1	DON'T KNOW	0	2	2
1	EXCELLENT	6	14	20
2	GOOD	48	48	96
3	FAIR	47	29	76
4	POOR	21	30	51
5	VERY POOR	7	8	15

ke054mab: Mother's place of residence.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_eu142g, ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	1	2	3
-2	Inappropriate Inap, R's mother is dead or mortality status is unknown(ke050ma = 2 or ke050ma = -1)	1499	1637	3136
1	IN OWN HOME OR APARTMENT (INCLUDING WITH SPOUSE IN THEIR OWN HOME OR APARTMENT)	58	52	110
2	IN A NURSING HOME	34	24	58
3	WITH RESPONDENT	2	5	7
4	SENIOR CITIZEN HOUSING/ASSISTED LIVING	1	6	7
5	WITH CHILD OTHER THAN RESPONDENT	2	6	8
6	WITH OTHER RELATIVE	3	6	9
12	ASSISTED LIVING CENTER	27	26	53
14	COMMUNITY BASED RESIDENTIAL CENTER	2	3	5
16	GRADUAL CARE	0	1	1

ke055mac: Miles from mother's place of residence.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e142s, ke050ma, ke054mab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	14	14	28
-3	REFUSED	1	0	1
-2	Inappropriate Inap, R's mother is dead (ke050ma = 2) or Mother lives with R (ke054mab = 3)	1501	1642	3143
-1	DON'T KNOW	2	0	2
0	LESS THAN 1 MILE	5	3	8
1 - 5		31	24	55
6 - 19		19	23	42
20 - 125		19	23	42
140 - 1000		20	23	43
1075 - 2800		17	15	32
9997	DON'T KNOW DISTANCE	0	1	1

Note: If respondent did not know the distance to mother's residence, city and state where mother lives was collected; however, this data was never coded.

ke066ma: Mother's state of residence.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e142t_s, ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	14	14	28
-3	REFUSED	1	0	1
-2	Inappropriate Inap, R's mother is dead (ke050ma = 2) R's mother dead at time of last interview	1501	1642	3143
1	Alabama	1	0	1
3	Arizona	1	1	2
5	California	2	0	2
10	Florida	1	2	3
14	Illinois	0	3	3
16	Iowa	0	1	1
21	Maryland	0	1	1
23	Michigan	0	1	1
24	Minnesota	4	4	8
34	North Carolina	0	1	1
36	Ohio	1	0	1
38	Oregon	1	0	1
39	Pennsylvania	0	1	1
44	Texas	1	0	1
48	Washington	0	1	1
50	Wisconsin	101	96	197

Note: Public and private data differ. Only codes for public are Wisconsin (50) vs. non-Wisconsin (0). Private data has codes for states and foreign countries.

ke056mac: Number of months mother lived with participant

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_hhros05, ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's mother is dead (ke050ma = 2) or (ke054mab==3)	1627	1763	3390
65		0	1	1
99		1	0	1
103		0	1	1
137		0	1	1
289		0	1	1
776		0	1	1
995		1	0	1

Note: In calculating time lived with Respondent, if Respondent reported raw answer in days, assumed 30 days per month in converting answer to months.

ke058mac: Frequency of contact with mother in person, by letter, by phone or by email in the past 12 months.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_E466f_1, y_E466f_2, ke050ma, ke054mab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	14	14	28
-3	REFUSED	1	0	1
-2	Inappropriate Inap, R's mother is dead (ke050ma = 2) or lives with R (ke054mab = 3)	1501	1642	3143
0	NEVER OR LESS THAN ONE TIME A YEAR	0	1	1
1 - 24		35	16	51
25 - 52		29	24	53
60 - 156		30	30	60
180 - 365		19	35	54
413 - 1460		0	6	6

ke060mab: Similarity of views between participant and mother

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e476bb ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	0	1
-2	Inappropriate Inap, R's mother is dead (ke050ma = 2) R's mother dead at time of last interview	1499	1637	3136
-1	DON'T KNOW	0	1	1
1	VERY SIMILAR	33	44	77
2	SOMEWHAT SIMILAR	77	67	144
3	NOT VERY SIMILAR	15	13	28
4	NOT AT ALL SIMILAR	4	6	10

ke061mab: Closeness between participant and mother.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e470b, ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	0	1
-2	Inappropriate Inap, R's mother is dead (ke050ma = 2) R's mother dead at time of last interview	1499	1637	3136
1	VERY CLOSE	79	88	167
2	SOMEWHAT CLOSE	41	38	79
3	NOT VERY CLOSE	9	3	12
4	NOT AT ALL CLOSE	0	2	2

ke062fa: Father alive at time of interview?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e146, y_fathmort

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
1	YES	16	18	34
2	NO	1613	1750	3363

ke063fa: Father's year of birth.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e2dob_y, ce063fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	Not Part of MOSAQ	72	63	135
-4	Not ascertained	9	12	21
-3	Refused	0	1	1
-1	Don't Know	49	49	98
1875 - 1903		360	402	762
1904 - 1908		361	448	809
1909 - 1911		337	340	677
1912 - 1915		357	337	694
1916 - 1930		156	179	335

ke064fab: Father's year of death.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e2dod_y, ce064fab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	Not Part of MOSAQ	72	63	135
-4	Not ascertained	100	92	192
-2	Inappropriate Inap, R's father is still alive (ke062fa = 1)	16	18	34
-1	Don't Know	29	36	65
1929 - 1970		300	326	626
1971 - 1981		313	358	671
1982 - 1989		316	322	638
1990 - 1997		302	347	649
1998 - 2012		253	269	522

ke164fab: Multiple causes of Father's death given?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e2mor8, ce164fab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's father is still alive or mortality status is unknown (ke062fa = 1 or ke062fa = -1)	16	18	34
0	No cause of death given in either wave	103	96	199
1	YES	142	158	300
2	NO, just one cause given	1368	1496	2864

Note: Please read cor867 in Appendix R for information on how cause of death information was coded with ICD-9 codes.

ke264fab: Father's first cause of death. These are detailed ICD-9 codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e2mor8, ce264fab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-18	COULD NOT CODE	5	3	8
-4	NOT ASCERTAINED	1	2	3
-3	REFUSED	2	1	3
-2	Inappropriate Inap, R's father is still alive (ke062fa = 1)	119	114	233
-1	DON'T KNOW	38	43	81
9	Ill-defined intestinal infections	1	1	2
10	Primary tuberculosis infection	3	2	5
11	Pulmonary tuberculosis	0	2	2
17	Tuberculosis of other organs	0	1	1

34	Streptococcal sore throat and scarlet fever	1	0	1
38	Septicemia	1	1	2
41	Bacterial infection in conditions classified elsewhere and of unspecified site	3	1	4
45	Acute poliomyelitis	0	1	1
46	Slow virus infection of central nervous system	1	0	1
82	Tick-borne rickettsioses	0	1	1
88	Other arthropod-borne diseases	2	0	2
136	Other and unspecified infectious and parasitic diseases	2	0	2
138	Late effects of acute poliomyelitis	1	0	1
141	Malignant neoplasm of tongue	0	1	1
145	Malignant neoplasm of other and unspecified parts of the mouth	0	1	1
150	Malignant neoplasm of esophagus	5	6	11
151	Malignant neoplasm of stomach	15	16	31
152	Malignant neoplasm of small intestine, including duodenum	0	1	1
153	Malignant neoplasm of colon	30	39	69
154	Malignant neoplasm of rectum, rectosigmoid junction, and anus	3	1	4
155	Malignant neoplasm of liver and intrahepatic bile ducts	16	18	34
156	Malignant neoplasm of gallbladder and extrahepatic bile ducts	1	2	3
157	Malignant neoplasm of pancreas	21	16	37
159	Malignant neoplasm of other and ill-defined sites within the digestive organs and peritoneum	3	4	7
161	Malignant neoplasm of larynx	4	11	15
162	Malignant neoplasm of trachea, bronchus, and lung	57	69	126
163	Malignant neoplasm of pleura	0	1	1
164	Malignant neoplasm of thymus, heart, and mediastinum	1	0	1
170	Malignant neoplasm of bone and articular cartilage	14	13	27
172	Malignant neoplasm of skin	2	4	6

173	Other malignant neoplasm of skin	1	0	1
185	Malignant neoplasm of prostate	54	48	102
186	Malignant neoplasm of testis	1	0	1
188	Malignant neoplasm of bladder	7	12	19
189	Malignant neoplasm of kidney and other unspecified urinary organs	7	5	12
191	Malignant neoplasm of brain	7	8	15
195	Malignant neoplasm of other and ill-defined sites	3	3	6
199	Malignant neoplasm without specification of site	24	16	40
200	Lymphosarcoma and reticulosarcoma	0	1	1
201	Hodgkin’s disease	2	4	6
202	Other malignant neoplasms of lymphoid and histiocytic tissue	7	6	13
203	Multiple myeloma and immunoproliferative neoplasms	2	1	3
204	Lymphoid leukemia	1	0	1
205	Myeloid leukemia	1	0	1
208	Leukemia of unspecified cell type	8	16	24
238	Neoplasm of uncertain behavior of other and unspecified sites and tissues	0	1	1
239	Neoplasms of unspecified nature	7	7	14
246	Other disorders of thyroid	0	1	1
250	Diabetes mellitus	19	22	41
261	Nutritional marasmus	1	0	1
284	Aplastic anemia	0	1	1
289	Other diseases of blood and blood-forming organs	2	0	2
290	Senile and presenile organic psychotic conditions	6	7	13
303	Alcohol dependence syndrome	3	7	10
311	Depressive disorder, not elsewhere classified	0	1	1
322	Meningitis of unspecified cause	1	2	3
323	Encephalitis, myelitis, and encephalomyelitis	1	0	1

331	Other cerebral degenerations	27	32	59
332	Parkinson's disease	11	20	31
333	Other extrapyramidal disease and abnormal movement disorders	0	1	1
335	Anterior horn cell disease	2	5	7
337	Disorders of the autonomic nervous system	0	1	1
340	Multiple sclerosis	1	1	2
348	Other conditions of brain	1	1	2
358	Myoneural disorders	0	1	1
359	Muscular dystrophies and other myopathies	1	0	1
382	Suppurative and unspecified otitis media	0	1	1
410	Acute myocardial infarction	70	101	171
414	Other forms of chronic ischemic heart disease	4	1	5
415	Acute pulmonary heart disease	4	6	10
427	Cardiac dysrhythmias	1	0	1
428	Heart failure	45	61	106
429	Ill-defined descriptions and complications of heart disease	405	419	824
430	Subarachnoid hemorrhage	2	2	4
431	Intracerebral hemorrhage	14	11	25
433	Occlusion and stenosis of precerebral arteries	2	0	2
434	Occlusion of cerebral arteries	1	2	3
435	Transient cerebral ischemia	0	1	1
436	Acute, but ill-defined, cerebrovascular disease	97	124	221
440	Atherosclerosis	6	5	11
441	Aortic aneurysm	2	9	11
442	Other aneurysm	10	13	23
444	Arterial embolism and thrombosis	5	8	13
456	Varicose veins of other sites	0	1	1

458	Hypotension	0	1	1
459	Other disorders of circulatory system	3	3	6
465	Acute upper respiratory infections of multiple or unspecified sites	0	1	1
486	Pneumonia, organism unspecified	38	48	86
487	Influenza	0	1	1
492	Emphysema	14	28	42
493	Asthma	2	1	3
496	Chronic airway obstruction, not elsewhere specified	2	2	4
501	Asbestosis	1	1	2
502	Pneumoconiosis due to other silica or silicates	1	0	1
507	Pneumonitis due to solids and liquids	1	0	1
511	Pleurisy	1	0	1
514	Pulmonary congestion and hypostasis	1	2	3
515	Postinflammatory pulmonary fibrosis	1	0	1
518	Other diseases of lung	23	34	57
531	Gastric ulcer	2	1	3
532	Duodenal ulcer	0	1	1
533	Peptic ulcer, site unspecified	3	1	4
537	Other disorders of stomach and duodenum	2	0	2
540	Acute appendicitis	2	0	2
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	0	1	1
557	Vascular insufficiency of intestine	1	1	2
560	Intestinal obstruction without mention of hernia	1	6	7
567	Peritonitis	1	0	1
569	Other disorders of intestine	2	0	2
571	Chronic liver disease and cirrhosis	9	12	21
573	Other disorders of liver	7	2	9

574	Cholelithiasis	1	0	1
575	Other disorders of gallbladder	0	1	1
577	Diseases of pancreas	3	1	4
578	Gastrointestinal hemorrhage	1	0	1
579	Intestinal malabsorption	0	1	1
584	Acute renal failure	0	1	1
586	Renal failure, unspecified	10	20	30
588	Disorders resulting from impaired renal function	1	1	2
590	Infections of kidney	0	1	1
593	Other disorders of kidney and ureter	6	3	9
595	Cystitis	0	2	2
696	Psoriasis and similar disorders	1	1	2
714	Rheumatoid arthritis and other inflammatory polyarthropathies	0	1	1
728	Disorders of muscle, ligament, and fiscia	1	0	1
729	Other disorders of soft tissues	2	0	2
780	General symptoms	0	2	2
782	Symptoms involving skin and other integumentary tissue	1	0	1
785	Symptoms involving cardiovascular system	0	2	2
786	Symptoms involving respiratory system and other chest symptoms	1	1	2
789	Other Symptoms involving abdomen and pelvis	1	0	1
796	Other nonspecific abnormal findings	1	0	1
798	Sudden death, cause unknown	0	1	1
799	Other ill-defined and unknown cause of morbidity and mortality	168	122	290
820	Fracture of neck of femur	2	4	6
869	Internal injury to unspecified or ill-defined organs	1	0	1
897	Traumatic amputation of leg(s) (complete) (partial)	0	1	1
909	Late effects of other and unspecified external causes	1	5	6

949	Burn, unspecified	1	0	1
961	Poisoning by other anti-infectives	1	0	1
980	Toxic effect of alcohol	0	1	1
986	Toxic effect of carbon monoxide	1	0	1
989	Toxic effect of other substances, chiefly nonmedicinal as to source	2	1	3
995	Certain adverse effects not elsewhere classified	1	0	1
996	Complications peculiar to certain specified procedures	7	4	11
998	Other complications of procedures, not elsewhere classified	6	9	15
5814	Motor vehicle traffic accident involving collision with pedestrian	1	0	1
5819	Motor vehicle traffic accident of unspecified nature	19	17	36
5821	Nontraffic Accident Involving Other Off-road Motor Vehicle	0	1	1
5829	Other Road Vehicle Accidents	0	1	1
5833	Fall On Stairs Or Ladders In Water Transport	1	0	1
5835	Other And Unspecified Fall In Water Transport	0	1	1
5843	Fall In, On, Or From Aircraft	1	0	1
5876	Other and unspecified misadventures during medical care	2	0	2
5880	Fall on or from stairs or steps	2	1	3
5884	Other Accidental Falls From One Level To Another	1	0	1
5888	Other and unspecified fall	0	7	7
5891	Conflagration in other and unspecified building or structure	1	0	1
5899	Accident caused by unspecified fire	0	1	1
5904	Hunger, thirst, exposure, and neglect	1	2	3
5905	Venomous Animals And Plants As The Cause Of Poisoning And Toxic Reactions	0	1	1
5907	Accident Due To Lightning	0	1	1
5909	Accident Due To Cataclysmic Earth Surface Movements And Eruptions	1	0	1

5911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	1	3	4
5912	Inhalation And Ingestion Of Other Object Causing Obstruction Of Respiratory Tract Or Suffocation	1	1	2
5928	Other And Unspecified Environmental And Accidental Causes	13	5	18
5934	Agents Primarily Affecting Blood Constituents Causing Adverse Effects In Therapeutic Use	1	0	1
5947	Other And Unspecified Drugs And Medicinal Substances Causing Adverse Effects In Therapeutic Use	0	1	1
5958	Suicide and self-inflicted injury by other and unspecified means	15	16	31
5968	Assault by other and unspecified means	0	1	1
5984	Submersion (drowning), Undetermined Whether Accidentally or Purposely Inflicted	0	2	2
5985	Injury By Firearms, Air Guns And Explosives, Undetermined Whether Accidentally Or Purposely Inflicted	0	1	1
7046	Other operations on intestine	1	0	1

Note: Please read cor867 in Appendix R for information on ICD-9 codes.
Note: Please see the ’Phone/Mail: ICD-10 Variables’ module for the ICD-10 version of the ICD-9 codes in this variable.

ke264fac: Father’s first cause of death. These are collapsed ICD-9 codes.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: ke264fab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-18	NOT CODEABLE	5	3	8
-4	NOT ASCERTAINED	1	2	3
-3	REFUSED	2	1	3
-2	Inappropriate Inap, R's father is still alive (ke062fa = 1)	119	114	233
-1	DON'T KNOW	38	43	81
10	Infectious and Parasitic Diseases	15	10	25
20	Neoplasms	304	331	635
30	Endocrine, Nutritional, Metabolic, Immunity	20	23	43
40	Blood and Blood-Forming Organs	2	1	3
50	Mental Disorders	9	15	24
60	Nervous System and Sense Organs	45	65	110
70	Circulatory System	671	768	1439
80	Respiratory System	85	118	203
90	Digestive System	35	28	63
100	Genitourinary system	17	28	45
120	Skin and Subcutaneous Tissue	1	1	2
130	Musculoskeletal System and Connective Tissue	3	1	4
160	Symptoms, Signs, and Ill-Defined Conditions	172	128	300
170	Injury and Poisoning	23	25	48
180	ICD-9 E Codes	61	63	124
200	ICD-9 Volume 3 Headings	1	0	1

Note: Please read cor867 in Appendix R for information on how cause of death information was coded with ICD-9 codes.

ke096fa: Original nationality of participant's Father's family.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_eq65f2, ce096fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	17	6	23
-3	REFUSED	1	1	2
-1	DON'T KNOW	23	30	53
1	British (England, Great Britain, Channel Islands, Guernsey Isle, Isle of Man, Jersey Isle, United Kingdom)	120	144	264
2	Scottish (Scotland, Shetland Islands, Orkney Islands)	24	29	53
3	Welsh (Wales, South Wales)	12	16	28
4	Irish, Southern Irish	97	106	203
5	Norwegian-Norway (Svaifard, Jan Mayfn Islands)	158	135	293
6	Swedish-Sweden	49	38	87
7	Danish-Denmark	19	24	43
8	Dutch (Amsterdam, Holland, Netherlands)	43	47	90
9	Scandinavia--nonspecified	0	3	3
10	Belgium	19	15	34
11	Swiss-Switzerland	21	22	43
12	French-France (Alsace, Alsace-Lorraine, Corsica, Lorraine)	44	52	96
13	Luxembourg	7	3	10
14	German-Germany	704	834	1538
15	Polish (East Prussia, Galacia, Masuria, Poland, Pomerania, Silesia)	99	100	199
16	Czechoslovak (Bohemia, Ruthenia, Czechoslovakia, Moravia, Slovakia, Sudetenland)	55	54	109

17	Austria-Austrian	13	13	26
18	Hungary-Hungarian	8	7	15
19	Yugoslav (Bosnia, Carniola, Croatia, Dalmatia, Herzegovina, Macedonia, Montenegro, Slavonia, Slovenia, Venezia Giula, Yugoslavia, Zara)	11	11	22
20	Rumanian (Bukovina, Dobruja, Northern Dobruja, Transylvania, Wallachia)	1	0	1
22	Finnish-Finland (Lapland)	3	4	7
23	Greek (Crete, Cyclades Islands, Dodecanese Islands, Greece)	0	3	3
24	Italian (Italy, Sardinia, Sicily, Trieste)	20	17	37
25	Spanish and Portuguese (Balearic Islands, Majorca, Spain, Portugal)	1	2	3
26	Latvian	4	0	4
27	Lithuanian	2	2	4
28	Russian and Belorussian (Belorussia, Armenia, Azerbaijan, Bessarabia, Crimea, Georgia, Karelia, Kurile Islands, Rutenia, Northern Bukovina, Russia, Siberia, Sakhalin Island, Soviet Union, Transcaucasia, Turkestan, USSR)	15	9	24
30	Lebanese-Lebanon	1	1	2
33	Japanese-Japan	1	0	1
36	African-African Negro	2	1	3
37	Canadian (Alberta, British Columbia, Canada, Franklin Territory, Keewatin Territory, Labrador, MacKenzie Territory, Manitoba, New Brunswick, Newfoundland, Nova Scotia, Ontario, Quebec, Saskatchewan, Yukon Territory)	0	5	5
38	French Canadian	14	12	26
39	Pennsylvania Dutch	1	3	4
40	Scotch-Irish	9	7	16
41	American Indian	6	7	13
42	Jewish	3	5	8
43	Ukranian	1	0	1
47	Assyrian	1	0	1

Note: See cor873 in Appendix D for information on how nationality data was coded.

ke065fab: Father's health at time of interview.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e148, ke062fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	0	1
-2	Inappropriate Inap, R's father is dead or mortality status is unknown (ke062fa = 2 or ke062fa= -1)	1613	1750	3363
-1	DON'T KNOW	1	1	2
1	EXCELLENT	3	6	9
2	GOOD	2	3	5
3	FAIR	4	5	9
4	POOR	5	2	7
5	VERY POOR	0	1	1

ke066fab: Father's place of residence.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_eu152i, ke062fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's father is dead or mortality status is unknown (ke062fa = 2 or ke062fa = -1)	1613	1750	3363
1	IN OWN HOME OR APARTMENT (INCLUDING WITH SPOUSE IN THEIR OWN HOME OR APARTMENT)	9	10	19
2	IN A NURSING HOME	2	3	5
3	WITH RESPONDENT	0	2	2
4	SENIOR CITIZEN HOUSING/ASSISTED LIVING	0	1	1
5	WITH CHILD OTHER THAN RESPONDENT	0	1	1
12	ASSISTED LIVING CENTER	5	1	6

ke066fa: State of Father's Residence.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e148nn_s, ke062fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's father is dead (ke062fa = 2) or lives with R (ke066fab=3)	1613	1752	3365
15	Indiana	1	0	1
24	Minnesota	0	1	1
29	Nevada	0	1	1
32	New Mexico	0	1	1
43	Tennessee	0	1	1
44	Texas	0	1	1
48	Washington	0	1	1
50	Wisconsin	15	10	25

Note: Public and private data differ. Only codes for public are Wisconsin (50) vs. non-Wisconsin (0). Private data has codes for states and foreign countries.

ke067fad: Miles from father's place of residence.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e148mm, ke062fa, ke066fab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's father is dead (ke062fa = 2) or father lives with R (ke066fab==3)	1613	1752	3365
0	LESS THAN 1 MILE	1	3	4
1 - 6		4	1	5
10 - 20		3	2	5
39 - 130		2	3	5
175 - 300		3	2	5
580 - 3500		3	5	8

ke068fad: How many months has father lived with participant?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_hhros05, ke062fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's father is dead (ke062fa = 2) R's father dead at time of last interview	1629	1766	3395
37		0	1	1
137		0	1	1

Note: In calculating time lived with Respondent, if Respondent reported raw answer in days, assumed 30 days per month in converting answer to months.

ke070fad: Frequency of contact with father in person, by letter, by phone or by email in the past 12 months

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_E472f_1, y_E472f_2, ke062fa, ke066fab

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's father is dead (ke062fa = 2) or father lives with R (ke066fab==3)	1613	1752	3365
0	NEVER OR LESS THAN ONE TIME A YEAR	1	3	4
1		1	0	1
4		0	1	1
6		1	1	2
8		1	0	1
12		1	2	3
30		1	0	1
36		1	1	2
48		1	1	2
52		3	2	5
104		2	0	2
156		1	0	1
208		1	1	2
260		0	2	2
365		1	2	3

ke072fab: Similarity of views between participant and father

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e476ff ke062fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	0	1
-2	Inappropriate Inap, R's father is dead (ke062fa = 2) R's father dead at time of last interview	1613	1750	3363
1	VERY SIMILAR	1	6	7
2	SOMEWHAT SIMILAR	11	9	20
3	NOT VERY SIMILAR	2	1	3
4	NOT AT ALL SIMILAR	1	2	3

ke073fab: Closeness between participant and father.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e476f , ke062fa

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	1	0	1
-2	Inappropriate Inap, R's father is dead (ke062fa = 2) R's father dead at time of last interview	1613	1750	3363
1	VERY CLOSE	7	11	18
2	SOMEWHAT CLOSE	6	4	10
3	NOT VERY CLOSE	2	1	3
4	NOT AT ALL CLOSE	0	2	2

ke074pab: Are participant's parents still married to each other?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e152f1 , ke062fa, ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, One or both of R's parents are not living	1626	1765	3391
1	YES	3	3	6

ke075pac: Does participant's father live in the same household as the participant's mother?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e152f2 , ke062fa, ke050ma

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-2	Inappropriate Inap, R's father is dead (ke062fa = 2) R's father dead at time of last interview OR both parents alive but not married to each other (ke074pab = 2)	1626	1765	3391
1	YES	2	3	5
2	NO	1	0	1

ke080mi: Is participant's mother-in-law still living?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e158f, y_married

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	0	1	1
-3	REFUSED	1	0	1
-2	Inappropriate Inap, R is not married or partnered	280	625	905
-1	DON'T KNOW	2	0	2
1	YES	304	170	474
2	NO	1042	972	2014

ke085fi: Is participant's father-in-law still living?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_e162f, y_married

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-4	NOT ASCERTAINED	1	0	1
-3	REFUSED	1	0	1
-2	Inappropriate Inap, R is not married or partnered	280	625	905
-1	DON’T KNOW	3	2	5
1	YES	149	74	223
2	NO	1195	1067	2262

Table of Contents

In Person: Parents 1
kparstat: Was the Parent Module completed by participant alone, with help, or by proxy? . . 2
kparrel: Relationship of Parent Module helper or proxy to participant. 2
ke050ma: Mother alive at time of interview? 3
ke051ma: Mother's year of birth. 4
ke052mab: Mother's year of death. 4
ke152mab: Multiple causes of Mother's death given? 5
ke252mab: Mother's first cause of death. These are detailed ICD-9 codes. 6
ke252mac: Mother's first cause of death. These are collapsed ICD-9 codes. 12
ke095ma: Original nationality of participant's Mother's family. 14
ke053mab: Mother's health at time of interview. 16
ke054mab: Mother's place of residence. 16
ke055mac: Miles from mother's place of residence. 17
ke066ma: Mother's state of residence. 18
ke056mac: Number of months mother lived with participant 20
ke058mac: Frequency of contact with mother in person, by letter, by phone or by email in the past 12 months. 20
ke060mab: Similarity of views between participant and mother 21
ke061mab: Closeness between participant and mother. 22
ke062fa: Father alive at time of interview? 23
ke063fa: Father's year of birth. 23
ke064fab: Father's year of death. 24
ke164fab: Multiple causes of Father's death given? 24
ke264fab: Father's first cause of death. These are detailed ICD-9 codes. 25
ke264fac: Father's first cause of death. These are collapsed ICD-9 codes. 32
ke096fa: Original nationality of participant's Father's family. 34
ke065fab: Father's health at time of interview. 36
ke066fab: Father's place of residence. 36
ke066fa: State of Father's Residence. 37
ke067fad: Miles from father's place of residence. 38
ke068fad: How many months has father lived with participant? 39
ke070fad: Frequency of contact with father in person, by letter, by phone or by email in the past 12 months 40
ke072fab: Similarity of views between participant and father 41
ke073fab: Closeness between participant and father. 41
ke074pab: Are participant's parents still married to each other? 42
ke075pac: Does participant's father live in the same household as the participant's mother? . 42
ke080mi: Is participant's mother-in-law still living? 43
ke085fi: Is participant's father-in-law still living? 43