In Person: Alcohol Use

KALC Alcohol Module

OVERVIEW

In the 2011 wave, the questions regarding alcohol use/experiences replicate most of the questions from previous waves. Additional questions were asked to supplement the information collected in previous waves. The replicated questions have variable names that are equivalent to those in the previous rounds, with same numbers in the numeric portion of the variable names. Variables derived from new questions were assigned new numbers in the variable names.

A core set of questions was administered to all participants whether or not they were included in the sub-sample. These questions include the drinking habits of participants in the past month (KU025RE-KU029RE, KU044RE-KU049RE, KU049ARE-KU049CRE), whether they have ever been married to, or lived with a problem drinker or alcoholic other than when they were growing up (KU038RE) and the relationship of such person to them (KU053RE, KU053ARE-KU053CRE). For those who, in previous interviews, reported having lived with a problem drinker or alcoholic while growing up were asked to provide detailed information on the relationship of such person, including whether the person is biologically related to the participant and whether the person is from the mother's or father's side of the family (KU050RE-KU052RE).

Several core questions are new to this wave, including number of times the participant having 3 or more drinks on the same occasion (KU044RE) and additional probing questions for don't know and refusal cases (KU045RE-KU046RE). The participants were also asked whether the alcohol use in the last month had been typical (KU047RE), whether there had been changes since last interview (KU048RE), and the reason for change, if any (KU049RE, KU049ARE-KU049CRE).

Other replicated questions include selected alcohol symptoms from the MAST (KU030RE-KU036RE) and selected items from M.I.N.I. PLUS 5.0.0 (KU039RE-KU042RE). In previous wave, these questions were only administered to a subsample of respondents. In 2011 interview, the MAST items were asked of all respondents while the M.I.N.I. PLUS 5.0.0 were only administered to the same 79% random subsample selected in previous waves (see variables SU001RE and CU001RE). See COR849 in Appendix M for references on MAST and M.I.N.I. PLUS 5.0.0.

WLS MAST Items:

1. At any time in your life have you felt bad or guilty about drinking? (KU030RE)

2. At any time in your life have people annoyed you by criticizing your drinking? (KU031RE)

3. Has your drinking caused a problem for you at work? (KU032RE)

4. Has your drinking created problems between you and your husband/wife /partner, former spouse (if divorced or widowed), children, parents,

or other near relatives? (KU033RE)

5. Have you gone to anyone for help about drinking, that is, about your drinking or anyone else's? (KU035RE)

6. Was that about your drinking or someone else's drinking (if yes to the above question)? (KU036RE)

WLS M.I.N.I. PLUS 5.0.0 Items:

A. In your lifetime, did you need to drink more in order to get the same effect that you did when you firt started drinking? (H039RE)

B. In your lifetime, have you tried to reduce or stop drinking alcohol but failed (only for those who answered "yes" to question A)? (KU040RE)

C. In your lifetime, did you spend less time working, enjoying hobbies, or being with friends because of your drinking (only for those who answered "yes" to question A)? (KU041RE)

D. In your lifetime, have you continued to drink even though you knew that the drinking caused you health or mental problems (only for those who answered "yes" to question A)? (KU042RE)

BRIEF VARIABLE DESCRIPTIONS

KALCSTAT-KALCREL	Module-Level Status Variables.
KU101RE	Sampling Flag for Additional Alcohol related questions (based on the sampling flag from previous interviews: RU001RE and GU001RE)
KU025RE	Have Ever Drunk Alcoholic Beverages
KU043RE	Reason for Refraining from Using Alcohol (if never drunk alcoholic beverages)
KU026RE - KU029RE KU044RE - KU046RE	Alcohol Use in a Typical Month
KU047RE	Whether Last Month's Drinking Pattern Is Typical
KU048RE - KU049RE KU049ARE- KU049CRE	Whether Drinking Pattern Has Changed Since Last Interview and the Reason for Changes
KU030RE - KU036RE	Selected Alcohol Symptoms from the MAST
KU037RE - KU038RE	Has Participant Ever Lived with a Problem Drinker While Growing Up Or Ever Married to One
KU050RE KU050ARE - KU050CRE	Relationship of the Problem Drinker the Participant Lived With While Growing Up
KU053RE KU053ARE - KU053CRE	Relationship of the Problem Drinker the Participant Lived With or Married to Other Than

```
                          While Growing Up

KU039RE - KU042RE         Lifetime Alcohol Symptoms from the M.I.N.I. PLUS
                          5.0.0
```

kalcstat: Was the Alcohol Module completed by Participant alone, with help, or by proxy?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcproxy1, y_alchelp0, capiproxy, y_proxy, y_ivwloc, y_alcflag

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
1	R COMPLETED ALONE	1417	1657	3074
2	R COMPLETED ALONE WITH SOMEONE ELSE IN THE ROOM	164	75	239
3	R RECEIVED A LITTLE HELP	31	18	49
4	R RECEIVED A LOT OF HELP	7	3	10
5	HELPER RESPONDED TO ALL ITEMS	1	0	1
6	MODULE PROXY	0	2	2
7	WHOLE INTERVIEW DONE BY PROXY	7	12	19

Note: For many cases a participant's spouse or other family member was present during the interview. This sometimes resulted in the participant relying on the other person for help in answering some or many of the questions. At the end of each module the interviewer indicated the amount of help the participant received and who provided that help. That assessment is covered by codes 1 through 5. Additionally, a code of 7 indicates that the entire interview was administered to a proxy while a code of 6 indicates that this particular module was answered by a proxy but other modules were answered by the participant.

kalcrel: Relationship of Alcohol Module helper or proxy to Participant.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: KALCSTAT, y_alcproxy1, y_alchelp0, y_alchelp1, y_alchelp2_hfn, y_alchelp3, y_h1fn-y_h4fn, y_pfn, prxyfnam, y_p1fn-y_p5fn, y_prel, prxyrel, y_p1rel-y_p5rel

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	0	3	3
-2	INAPPROPRIATE INAPPLICABLE, R COMPLETED ALONE OR REFUSED (KALCSTAT=1,2,-3)	1581	1732	3313
0	SPOUSE	40	13	53
2	BROTHER	0	2	2
8	DAUGHTER	0	7	7
10	DAUGHTER-IN-LAW	0	1	1
25	FRIEND	1	0	1
26	GRANDDAUGHTER	0	1	1
41	ROMANTIC PARTNER	1	1	2
43	SISTER	0	2	2
45	SISTER-IN-LAW	0	2	2
48	SON	4	2	6
54	OTHER	0	1	1

Note: If this module was administered via proxy or if the participant received help answering the questions in this module then we record the relationship of the proxy/helper to the participant. Although most participants relied on only one helper or proxy for the interview, some had more than one. Thus the value of the relationship code may vary across the modules.

ku101re: Random 80% sample for additional alcohol related questions.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, SU001RE, CU001RE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
0	NOT INCLUDED IN THE ALCOHOL SUB-SAMPLE	356	392	748
1	INCLUDED IN THE ALCOHOL SUB-SAMPLE	1271	1375	2646

Note: The 80% sub-sample were based on those selected in the previous waves (RU001RE, GU001RE). The sampling was applied to KU030RE, KU031RE, KU032RE, KU033RE, KU035RE, KU036RE, KU034REC, KUA34RE, KU039RE, KU040RE, KU041RE, and KU042RE.

ku025re: Have you ever drunk alcoholic beverages, such as beer, wine, liquor, or mixed alcoholic drinks?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	2	0	2
1	YES	1599	1712	3311
2	NO	26	55	81

ku043re: Is there a specific reason why you have refrained from using alcohol?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_1a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, HAVE DRUNK ALCOHOL OR MISSING IN ITEM y_u1 (KU025RE~=2)	1601	1712	3313
0	NO SPECIFIC REASON	4	9	13
1	NEVER ENJOYED IT/NEVER FELT THE NEED TO	5	9	14
2	DON’T LIKE THE TASTE	1	3	4
3	DON’T LIKE IT (UNSPECIFIED)	2	10	12
4	RELIGIOUS REASONS/PERSONAL BELIEFS	7	9	16
5	RAISED TO NOT DRINK	0	4	4
6	HEALHT REASONS/MEDICATIONS	0	5	5
7	FAMILY MEMBER WAS ALCOHOLIC	3	2	5
8	SEEN ITS EFFECTS ON OTHERS	4	4	8

ku026re: During the last month, on how many days did you drink any alcoholic beverages, such as beer, wine, or liquor?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u2

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	3	0	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER DRINK (KU025RE=2)	26	55	81
-1	DON’T KNOW	1	1	2
0	NEVER/NONE	403	581	984
1 - 2		243	348	591
3 - 5		249	250	499
6 - 15		296	268	564
16 - 30		344	236	580
31		62	28	90

ku027re: About how many drinks did you have on average on those days?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u2, y_u3

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NEVER DRINK, 0/DK/REF DRINKING DAYS IN LAST MONTH (KU025RE=2 or KU026RE=0, -1, -3)	433	637	1070
-1	DON’T KNOW	3	2	5
1		506	734	1240
2		407	310	717
3		166	54	220
4		44	17	61
5		29	6	35
6		20	5	25
7		3	0	3
8		6	2	8
10		7	0	7
12		2	0	2
16		1	0	1

ku028re: Total number of drinks the participant had in the last month.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u2, y_u3

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NEVER DRINK, 0/DK/REF DRINKING DAYS IN LAST MONTH (KU025RE=2 or KU026RE=0, -1, -3)	433	637	1070
-1	DON’T KNOW	3	2	5
1 - 2		181	299	480
3 - 6		211	256	467
7 - 16		237	240	477
17 - 36		254	217	471
40 - 496		308	116	424

Note: KU028RE = KU026RE*KU027RE if 1<=KU026RE<=31 and KU026RE>0. KU028RE=-2 if KU026RE=0 or KU025RE=2. KU028RE gets the same code as KU027RE if KU027RE is missing (-1,-3).

ku044re: In the past month how many times did you have 3 or more drinks on the same occasion?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u2, y_u5a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	84	73	157
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NO MORE THAN 1 DRINKING DAY IN LAST MONTH (KU025RE=2 or KU026RE=0,1)	516	810	1326
-1	DON’T KNOW	3	3	6
0	NEVER	496	637	1133
1		110	76	186
2		105	57	162
3 - 4		120	58	178
5 - 15		116	46	162
16 - 31		77	7	84

Note: Prior to version 22 of the CAPI instrument, the question was only administered to eligible cases (KU044RE~=-2) in the 80% sub-sample (KU101RE=1). As a result, the variable is coded -4 (not ascertained) for eligible cases not in the sub-sample (KU101RE=0).

ku045re: Would you say that this happened at least once (if did not answer having >=3 drinks on the same occasion in the past month)?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u2, y_u5a, y_u5az

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	84	73	157
-3	REFUSED	3	0	3
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NO MORE THAN 1 DRINKING DAY OR KU044RE ANSWERED (KU025RE=2 or KU026RE=0,1 or KU044RE^=-1 & KU044RE^=-3)	1537	1691	3228
-1	DON’T KNOW	0	1	1
1	YES	3	2	5

Note: Prior to version 22 of the CAPI instrument, the question was only administered to eligible cases (KU045RE~=-2) in the 80% sub-sample (KU101RE=1). As a result, the variable is coded -4 (not ascertained) for eligible (non-inap) cases not in the sub-sample (KU101RE=0).

ku029re: In the past month, how many times did you have 5 or more drinks on the same occasion?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u2, y_u5a, y_u5

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	84	73	157
-3	REFUSED	0	1	1
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR <2 DRINKING DAYS OR NO OCCASION WITH >=3 DRINKS IN PAST MONTH (KU025RE=2 or KU026RE=0,1 or KU044RE=0)	1012	1447	2459
-1	DON’T KNOW	2	1	3
0	NEVER/NONE	319	198	517
1		72	19	91
2		40	10	50
3		21	4	25
4		20	8	28
5		14	3	17
6		5	0	5
7		2	0	2
8		3	1	4
10		8	0	8
12		2	2	4
14		1	0	1
15		2	0	2
20		6	0	6
23		1	0	1
30		9	0	9
31		4	0	4

Note: Prior to version 22 of the CAPI instrument, the question was only administered to eligible cases (KU029RE~=-2) in the 80% sub-sample (KU101RE=1). As a result, the variable is coded -4 (not ascertained) for eligible cases not in the sub-sample (KU101RE=0).

ku046re: Would you say that this happened at least once (if did not answer having >=5 drinks on the same occasion in the past month)?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u2, y_u5a, y_u5, y_u5z

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	84	73	157
-3	REFUSED	3	0	3
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR <2 DRINKING DAYS OR NO OCCASION W/ >=3 DRINKS OR KU029RE ANSWERED (KU025RE=2 or KU026RE=0,1 or KU044RE=0 or KU029RE^=-1 & KU029RE^=-3)	1538	1692	3230
-1	DON’T KNOW	0	1	1
1	YES	2	1	3

Note: Prior to version 22 of the CAPI instrument, the question was only administered to eligible cases (KU046RE~=-2) in the 80% sub-sample (KU101RE=1). As a result, the variable is coded -4 (not ascertained) for eligible cases not in the sub-sample (KU101RE=0).

ku047re: Would you say that the past month has been typical in terms of your drinking, or do you normally drink more or less?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u5b

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	47	35	82
-3	REFUSED	3	0	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER DRINK (KU025RE=2)	26	55	81
-1	DON’T KNOW	6	4	10
1	TYPICAL OR THE SAME	1238	1293	2531
2	MORE	61	51	112
3	LESS	246	329	575

ku048re: Since we last talked to you, have you changed how much you typically drink?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u5c

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	47	35	82
-3	REFUSED	3	0	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER DRINK (KU025RE=2)	26	55	81
-1	DON'T KNOW	18	26	44
1	YES	434	383	817
2	NO	1099	1268	2367

ku049re: Did respondent give a reason for changes in how much the participant drinks (reason to be coded)?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u5c, y_u5d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	50	35	85
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR HAVE NOT CHANGED HOW MUCH TYPICALLY DRINK (KU025RE=2 or KU048RE~=1)	1146	1349	2495
-1	DON'T KNOW	3	3	6
1	YES, OFFERED A REASON	428	380	808

ku049are: First reason for changing how much participant drinks since last interview

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u5c, y_u5d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR HAVE NOT CHANGED HOW MUCH TYPICALLY DRINK (HU025RE=2 or HU048RE~=1)	1199	1387	2586
1	HEALTH REASON (UNSPECIFIED)	66	37	103
2	WEIGHT LOSS	11	13	24
3	AGE	39	26	65
4	MEDICATION	24	34	58
5	DIABETES	16	10	26
6	HEART CONDITION	4	3	7
7	STROKE	2	1	3
8	HYPERTENSION	1	2	3
9	LIVER CONDITION	0	1	1
10	ACID REFLUX/HEARTBURN/STOMACH PROBLEM	0	3	3
11	POOR SIDE EFFECTS SO DRINK LESS	14	20	34
19	OTHER ILLNESS/CONDITION OR UNSPECIFIED MEDICAL CONDITIONS	12	11	23
21	GO OUT LESS/LESS OPPORTUNITY	34	45	79
22	LESS DESIRE TO DRINK	55	56	111
23	FINANCIAL REASONS	5	3	8
24	NEW DRIVING LAWS/LEGAL REASONS	15	6	21

25	PERSONAL BELIEFS/RELIGIOUS REASONS	3	3	6
26	DOES NOT WANT TO BE DEPENDENT/ALCOHOLISM	13	11	24
29	NO REASON JUST DRINK LESS	40	22	62
31	GO OUT WITH FRIENDS/MORE SOCIAL	7	12	19
32	HEALTH BENEFIT/HELPS SLEEP	10	1	11
33	RETIRED/MORE TIME	15	15	30
34	ENJOY DRINKING	11	13	24
39	NO REASON JUST DRINK MORE	10	5	15
41	STRESS	7	9	16
42	LIFESTYLE/HABIT	6	4	10
43	SOCIAL RELATIONSHIP/AFFLIATION CHANGED	2	8	10
44	EXPOSURE/ACCESSIBILITY CHANGED	1	3	4
49	NO REASON/UNSPECIFIED	5	3	8

ku049bre: Second reason for changing how much participant drinks since last interview

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u5c, y_u5d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER DRINK OR HAVE NOT CHANGED HOW MUCH TYPICALLY DRINK OR NO MORE REASON	1595	1754	3349
1	HEALTH REASON (UNSPECIFIED)	3	2	5
2	WEIGHT LOSS	3	1	4
3	AGE	4	0	4
4	MEDICATION	2	2	4
5	DIABETES	3	0	3
11	POOR SIDE EFFECTS SO DRINK LESS	2	2	4
19	OTHER ILLNESS/CONDITION OR UNSPECIFIED MEDICAL CONDITIONS	1	0	1
21	GO OUT LESS/LESS OPPORTUNITY	4	1	5
22	LESS DESIRE TO DRINK	5	2	7
23	FINANCIAL REASONS	1	1	2
24	NEW DRIVING LAWS/LEGAL REASONS	4	0	4
31	GO OUT WITH FRIENDS/MORE SOCIAL	0	1	1
34	ENJOY DRINKING	0	1	1

ku049cre: Third reason for changing how much participant drinks since last interview

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u1, y_u5c, y_u5d

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER DRINK OR HAVE NOT CHANGED HOW MUCH TYPICALLY DRINK OR NO MORE REASON	1623	1767	3390
21	GO OUT LESS/LESS OPPORTUNITY	2	0	2
22	LESS DESIRE TO DRINK	2	0	2

ku034rec: Alcohol Symptom Count replicated from 1993 and 2005.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u11

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	206	236	442
-3	REFUSED	2	0	2
-2	INAPPROPRIATE INAPPROPRIATE, NOT IN SUB-SAMPLE (KU101RE=0)	356	392	748
0		665	842	1507
1		191	210	401
2		98	57	155
3		64	17	81
4		30	10	40
5		15	3	18

Note: This variable is calculated by counting the number of "YES" answers to KU030RE, KU031RE, KU032RE, KU033RE and KU035RE. If at least two of the constituent variables are missing, KU034REC is coded -3. KU034REC is only available for those in the 80% sub-sample (KU101RE=1), including those who have never drunk alcohol (KU025RE=2). If the participant has never drunk alcohol, then KU034REC is coded 0. Since KU030RE is not available for cases administered by CAPI instrument prior to version 21, KU034REC is coded -4 (Not Ascertained) for these cases, except those who have never drunk alcohol.

kua34re: Number of valid alcohol symptoms used to create KU034REC

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u11

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	206	236	442
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NOT IN SUB-SAMPLE (KU101RE=0 or KU025RE=2)	376	439	815
0		1	0	1
1		1	0	1
4		3	2	5
5		1040	1090	2130

Note: This variable is only available for those in the 80% sub-sample (KU101RE=1). Since KU030RE is not available for cases administered by CAPI instrument prior to version 21, KUA34RE is coded -4 (Not Ascertained) for these cases.

ku030re: At any time in your life have you felt bad or guilty about drinking?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u6

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	206	236	442
-3	REFUSED	1	0	1
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NOT IN SUB-SAMPLE (KU025RE=2 or KU101RE=0)	376	439	815
-1	DON’T KNOW	1	1	2
1	YES	312	200	512
2	NO	731	891	1622

Note: The question was only asked of the sub-sample (KU101RE=1).
The question was not administered to eligible cases (KU101RE=1) prior to version 21 of the CAPI instrument (y_VERSION<21). These cases are coded -4 (Not Ascertained) in KU030RE, KU034REC KUA34RE.

ku031re: At any time in your life have people annoyed you by criticizing your drinking?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u7

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	2	0	2
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OF NOT IN SUB-SAMPLE (KU025RE=2 or KU101RE=0)	376	439	815
-1	DON’T KNOW	1	1	2
1	YES	242	85	327
2	NO	1006	1242	2248

Note: The question was only asked of the sub-sample (KU101RE=1).

ku032re: Has your drinking caused a problem for you at work?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u8

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	2	0	2
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NOT IN SUB-SAMPLE (KU025RE=2 or KU101RE=0)	376	439	815
1	YES	26	5	31
2	NO	1223	1323	2546

Note: The question was only asked of the sub-sample (KU101RE=1).

ku033re: Has your drinking created problems between you and your family?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u9

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	2	0	2
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NOT IN SUB-SAMPLE (KU025RE=2 or KU101RE=0)	376	439	815
-1	DON’T KNOW	1	0	1
1	YES	168	50	218
2	NO	1080	1278	2358

Note: The question was only asked of the sub-sample (KU101RE=1).

ku035re: Have you gone to anyone for help about drinking, that is, about your drinking or anyone else’s?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u10

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	3	0	3
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NOT IN SUB-SAMPLE (KU025RE=2 or KU101RE=0)	376	439	815
1	YES	122	132	254
2	NO	1126	1196	2322

Note: The question was only asked of the sub-sample (KU101RE=1).

ku036re: Was that about your drinking or someone else's drinking?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u1, y_u11

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NOT IN SUB-SAMPLE OR NEVER GONE FOR HELP (KU025RE=2 or KU101RE=0 or KU035RE~=1)	1505	1635	3140
1	RESPONDENT	64	23	87
2	SOMEONE ELSE	48	103	151
3	RESPONDENT AND SOMEONE ELSE	10	6	16

Note: The question was only asked of the sub-sample (KU101RE=1).

ku037re: When you were growing up, that is during your first 18 years, did you live with anyone who was a problem drinker or alcoholic (asked only if reported living with a problem drinker while growing up in any of the previous interviews)?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: SU037RE, CU037RE, y_probdrk, y_u1, y_u12

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE, DID NOT REPORT LIVING W/ PROBLEM DRINKER IN PRIOR INT & NEVER REFRAINED FROM DRINKING (SU037RE~=1 & CU037RE~=1 & KU025RE~=2)	1272	1323	2595
-1	DON’T KNOW	2	3	5
1	YES	267	327	594
2	NO	85	114	199

Note: The question was only asked of those who had reported ever living with a problem drinker in previous interviews (SU037RE=1 or CU037RE=1).

ku050re: What was this person’s relationship to you (the problem drink participant lived with while growing up?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: SU037RE, CU037RE, y_probdrk, y_u12, y_u12a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	3	1	4
-2	Inappropriate INAPPROPRIATE, DID NOT LIVE WITH A PROBLEM DRINKER (SU037RE~=1 & CU037RE~=1 & KU025RE~=2 or KU037RE~=1)	1360	1440	2800
1	MOTHER	21	31	52
2	FATHER	196	254	450
3	STEP MOTHER	1	0	1
4	STEP FATHER	5	5	10
5	BOTH PARENTS	17	20	37
6	FULL-SIBLING	6	3	9
9	GRANDMOTHER	0	1	1
10	GRANDFATHER	6	5	11
12	UNCLE	6	2	8
13	OTHER	6	5	11

Note: The question was only asked of those who had reported ever living with a problem drinker in previous interviews (SU037RE=1 or CU037RE=1).

ku050are: Relationship of the first additional problem drinker participant lived with while growing up (if multiple persons were mentioned in KU050RE)

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: RU037RE, GU037RE, y_probdrk, y_u12, y_u12a
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, DID NOT LIVE WITH A PROBLEM DRINKER OR NO ADDITIONAL PERSON REPORTED	1622	1764	3386
4	STEP FATHER	1	0	1
6	FULL-SIBLING	2	3	5
10	GRANDFATHER	1	0	1
12	UNCLE	1	0	1

ku050bre: Relationship of the second additional problem drinker participant lived with while growing up (if multiple persons were mentioned in KU050RE)

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: RU037RE, GU037RE, y_probdrk, y_u12, y_u12a
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, DID NOT LIVE WITH A PROBLEM DRINKER OR NO ADDITIONAL PERSON REPORTED	1626	1766	3392
1	MOTHER	0	1	1
9	GRANDMOTHER	1	0	1

ku050cre: Relationship of the third additional problem drinker participant lived with while growing up (if multiple persons were mentioned in KU050RE)

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: RU037RE, GU037RE, y_probdrk, y_u12, y_u12a
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, DID NOT LIVE WITH A PROBLEM DRINKER OR NO ADDITIONAL PERSON REPORTED	1626	1767	3393
10	GRANDFATHER	1	0	1

ku051re: Is that on your mother’s side or father’s side?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: SU037RE, CU037RE, y_probdrk, y_u12, y_u12a, y_u12b, y_u12c, y_u12e
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NOT LIVE W/ PROB. DRINKER OR DRINKER WAS PARENTS/FULL/STEP-SIBS (SU037RE~=1 & CU037RE~=1 & KU025RE~=2 or KU037RE~=1 or KU050RE=1-7)	1609	1754	3363
1	FROM MOTHER'S SIDE/SAME MOTHER IF HALF SIBLING	7	5	12
2	FROM FATHER'S SIDE/SAME FATHER IF HALF SIBLING	8	7	15
3	NEITHER/NOT RELATED	3	1	4

Note: The question was only asked of those who had reported ever living with a problem drinker in previous interviews (SU037RE=1 or CU037RE=1). Categories 3-4 and 6-12 are collapsed into 13 "Other Relative" on public release.

ku052re: Is this person a biological aunt/uncle/relative?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: SU037RE, CU037RE, y_probdrk, y_u12d, y_u12g
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NOT LIVE W/ PROB. DRINKER OR DRINKER WAS PARENTS/FULL/STEP-SIBS (SU037RE~=1 & CU037RE~=1 & KU025RE~=2 or KU037RE~=1 or KU050RE=1-7)	1615	1760	3375
1	BIOLOGICAL	6	3	9
2	NON-BIOLOGICAL	6	4	10

Note: The question was only asked of those who had reported ever living with a problem drinker in previous interviews (SU037RE=1 or CU037RE=1)

ku038re: Have you ever been married to, or lived with someone who was a problem drinker or alcoholic other than when you were growing up?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u13

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	3	4	7
-1	DON’T KNOW	1	1	2
1	YES	125	414	539
2	NO	1498	1348	2846

ku053re: What was this person's relationship to you (if ever living with or married to a problem drinker)?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u13, y_u13a

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-4	NOT ASCERTAINED	1	1	2
-3	REFUSED	0	1	1
-2	INAPPROPRIATE INAPPROPRIATE, NEVER MARRIED TO OR LIVED WITH A PROBLEM DRINKER (KU038RE~=1)	1502	1353	2855
1	HUSBAND	0	354	354
2	WIFE	89	0	89
3	PARTNER/COHABITOR/SIGNIFICANT OTHER/BOYFRIEND/GIRLFRIEND	12	21	33
4	CHILD(REN)	9	24	33
5	OTHER RELATIVE(S)	5	3	8
6	IN-LAW(S)	1	3	4
7	ROOMMATE/FRIEND	7	3	10
13	OTHER	1	4	5

Note: The question was only asked of those who had reported ever living with a problem drinker in previous interviews (RU037RE=1 or GU037RE=1). Categories other than 1,2,4 are collapsed into 13 "Other" on public release.

ku053are: Relationship of the first additional problem drinker participant married to or lived with other than while growing up (if multiple persons were mentioned in KU053RE)

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u13, y_u13a
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER MARRIED TO OR LIVED WITH A PROBLEM DRINKER (HU038RE~=1)	1625	1750	3375
1	HUSBAND	0	5	5
2	WIFE	1	0	1
4	CHILD(REN)	0	11	11
5	OTHER RELATIVE(S)	0	1	1
6	IN-LAW(S)	1	0	1

ku053bre: Relationship of the second additional problem drinker participant married to or lived with other than while growing up (if multiple persons were mentioned in KU053RE)

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u13, y_u13a
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER MARRIED TO OR LIVED WITH A PROBLEM DRINKER (HU038RE~=1)	1627	1762	3389
1	HUSBAND	0	4	4
6	IN-LAW(S)	0	1	1

ku053cre: Relationship of the third additional problem drinker participant married to or lived with other than while growing up (if multiple persons were mentioned in KU053RE)

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_u13, y_u13a
NOT AVAILABLE ON PUBLIC RELEASE

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	INAPPROPRIATE INAPPROPRIATE, NEVER MARRIED TO OR LIVED WITH A PROBLEM DRINKER (HU038RE~=1)	1627	1765	3392
4	CHILD(REN)	0	1	1
6	IN-LAW(S)	0	1	1

ku039re: In your lifetime, did you need to drink more in order to get the same effect that you did when you first started drinking?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u20

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-3	REFUSED	3	1	4
-2	Inappropriate INAPPROPRIATE, NEVER DRINK OR NOT IN SUB-SAMPLE (KU101RE=0 or KU025RE=2)	376	439	815
-1	DON’T KNOW	20	11	31
1	YES	174	62	236
2	NO	1054	1254	2308

Note: The question was only asked of those in the 80% sub-sample (KU101RE=1).

ku040re: In your lifetime, have you tried to reduce or stop drinking alcohol but failed?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u23

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NOT IN SUB-SAMPLE OR NEVER DRINK OR NEVER NEED TO DRINK MORE TO GET SAME EFFECT (KU101RE=0 or KU025RE=2 or KU039RE~=1)	1453	1705	3158
1	YES	47	20	67
2	NO	127	42	169

Note: The question was only asked of those in the 80% sub-sample (KU101RE=1) who reported having to drink more in order to get the same effect as before (KU039RE=1).

ku041re: In your lifetime, did you spend less time working, enjoying hobbies, or being with others because of your drinking?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u24

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NOT IN SUB-SAMPLE OR NEVER DRINK OR NEVER NEED TO DRINK MORE TO GET SAME EFFECT (KU101RE=0 or KU025RE=2 or KU039RE~=1)	1453	1705	3158
1	YES	40	11	51
2	NO	134	51	185

Note: The question was only asked of those in the 80% sub-sample (KU101RE=1) who reported having to drink more in order to get the same effect as before (KU039RE=1).

ku042re: In your lifetime, have you continued to drink even though you knew that the drinking caused your health or mental problems?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_alcflag, y_u25

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-5	PARTIAL INTERVIEW	2	1	3
-2	Inappropriate INAPPROPRIATE, NOT IN SUB-SAMPLE OR NEVER DRINK OR NEVER NEED TO DRINK MORE TO GET SAME EFFECT (KU101RE=0 or KU025RE=2 or KU039RE~=1)	1453	1705	3158
-1	DON’T KNOW	3	0	3
1	YES	51	17	68
2	NO	120	45	165

Note: The question was only asked of those in the 80% sub-sample (KU101RE=1) who reported having to drink more in order to get the same effect as before (KU039RE=1).

Table of Contents

In Person: Alcohol Use 1
kalcstat: Was the Alcohol Module completed by Participant alone, with help, or by proxy? . 3
kalcrel: Relationship of Alcohol Module helper or proxy to Participant. 3
ku101re: Random 80% sample for additional alcohol related questions. 4
ku025re: Have you ever drunk alcoholic beverages, such as beer, wine, liquor, or mixed alcoholic drinks? 5
ku043re: Is there a specific reason why you have refrained from using alcohol? 5
ku026re: During the last month, on how many days did you drink any alcoholic beverages, such as beer, wine, or liquor? 6
ku027re: About how many drinks did you have on average on those days? 7
ku028re: Total number of drinks the participant had in the last month. 8
ku044re: In the past month how many times did you have 3 or more drinks on the same occasion? 9
ku045re: Would you say that this happened at least once (if did not answer having >=3 drinks on the same occasion in the past month)? 10
ku029re: In the past month, how many times did you have 5 or more drinks on the same occasion? 11
ku046re: Would you say that this happened at least once (if did not answer having >=5 drinks on the same occasion in the past month)? 13
ku047re: Would you say that the past month has been typical in terms of your drinking, or do you normally drink more or less? 13
ku048re: Since we last talked to you, have you changed how much you typically drink? . . 14
ku049re: Did respondent give a reason for changes in how much the participant drinks (reason to be coded)? 15
ku049are: First reason for changing how much participant drinks since last interview . . . 16
ku049bre: Second reason for changing how much participant drinks since last interview . . 17
ku049cre: Third reason for changing how much participant drinks since last interview . . 18
ku034rec: Alcohol Symptom Count replicated from 1993 and 2005. 19
kua34re: Number of valid alcohol symptoms used to create KU034REC 20
ku030re: At any time in your life have you felt bad or guilty about drinking? 20
ku031re: At any time in your life have people annoyed you by criticizing your drinking? . . 21
ku032re: Has your drinking caused a problem for you at work? 22
ku033re: Has your drinking created problems between you and your family? 23
ku035re: Have you gone to anyone for help about drinking, that is, about your drinking or anyone else's? 23
ku036re: Was that about your drinking or someone else's drinking? 24
ku037re: When you were growing up, that is during your first 18 years, did you live with anyone who was a problem drinker or alcoholic (asked only if reported living with a problem drinker while growing up in any of the previous interviews)? 25
ku050re: What was this person's relationship to you (the problem drink participant lived with while growing up? 25
ku050are: Relationship of the first additional problem drinker participant lived with while growing up (if multiple persons were mentioned in KU050RE) 26
ku050bre: Relationship of the second additional problem drinker participant lived with while

growing up (if multiple persons were mentioned in KU050RE) 27
ku050cre: Relationship of the third additional problem drinker participant lived with while growing up (if multiple persons were mentioned in KU050RE) 28
ku051re: Is that on your mother's side or father's side? 28
ku052re: Is this person a biological aunt/uncle/relative? 29
ku038re: Have you ever been married to, or lived with someone who was a problem drinker or alcoholic other than when you were growing up? 30
ku053re: What was this person's relationship to you (if ever living with or married to a problem drinker)? 31
ku053are: Relationship of the first additional problem drinker participant married to or lived with other than while growing up (if multiple persons were mentioned in KU053RE) 31
ku053bre: Relationship of the second additional problem drinker participant married to or lived with other than while growing up (if multiple persons were mentioned in KU053RE) 32
ku053cre: Relationship of the third additional problem drinker participant married to or lived with other than while growing up (if multiple persons were mentioned in KU053RE) 33
ku039re: In your lifetime, did you need to drink more in order to get the same effect that you did when you first started drinking? 33
ku040re: In your lifetime, have you tried to reduce or stop drinking alcohol but failed? . . . 34
ku041re: In your lifetime, did you spend less time working, enjoying hobbies, or being with others because of your drinking? 35
ku042re: In your lifetime, have you continued to drink even though you knew that the drinking caused your health or mental problems? 36