In Person: Abbreviated Diabetes Knowledge Test (DKT)

KDIAB Abbreviated Diabetes Knowledge Test (DKT) Module

OVERVIEW

The Abbreviated Diabetes Knowledge Test Module is new to the 2011 collection wave. At its core are selected questions from the 23-item "Diabetes Knowledge Test (DKT)," which assesses general knowledge about diabetes using a multiple choice format. The first fourteen items of the DKT can be appropriately administered to both diabetics and non-diabetics, while the subsequent nine items should only be administered to diabetics who use insulin. Within the context of the CAPI interview, seven DKT items appropriate for both diabetics and non-diabetics were asked to a randomly selected 15% sub-sample of participants, as well as all participants who - in the Health Module - reported ever having been diagnosed with diabetes. DKT items selected for inclusion in this module addressed the following: the nutritional value of various foods relative to others; measurement of blood glucose levels, as well as their sensitivity to different foods; and risk factors and complications associated with diabetes. For more information about the unabridged Diabetes Knowledge Test, please see http://www.med.umich.edu/mdrtc/profs/survey.html#dkt.

BRIEF VARIABLE DESCRIPTIONS

Variable ranges reference dataset/codebook order and are not necessarily alphabetical.

KDBSTAT-KDBREL:	Module-Level Status Variables
KX570RE:	Summary of Whether Participant was Eligible to be Assessed Using the Abbreviated DKT
KX571RE:	Number of Questions Attempted if All Seven Abbreviated DKT Items Were Asked of the Participant
KX572RE:	Number of Questions Answered Correctly if Participant Attempted All Seven Abbreviated DKT Items
KX573RE:	Number of Questions Answered Correctly if All Seven Abbreviated DKT Items were Asked of the Participant
KX575RE-KX576REC:	Participant’s Responses to DKT Items About the Relative Nutritional Value of Various Foods, Including Indicators for Correctness
KX577RE-KX579REC:	Participant’s Responses to DKT Items About Blood Glucose Levels, Including Indicators for Correctness

```
KX580RE-KX581REC:       Participant's Responses to DKT Items About
                        Risk Factors and Complications Associated
                        with Diabetes, Including Indicators for
                        Correctness
```

kdbstat: Was the Abbreviated Diabetes Knowledge Test (DKT) Module completed by Participant alone, with help, or by proxy?

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: y_dbrand, y_x1a3, y_dbproxy1, y_dbhelp0, capiproxy, y_proxy, y_ivwloc

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate Inap, not in sample (y_dbrand != 1 and y_x1a3 != 1)	1107	1320	2427
1	R COMPLETED ALONE	435	420	855
2	R COMPLETED ALONE WITH SOMEONE ELSE IN THE ROOM	67	24	91
3	R RECEIVED A LITTLE HELP	12	2	14
4	R RECEIVED A LOT OF HELP	3	0	3

Note: For many cases a participant's spouse or other family member was present during the interview. This sometimes resulted in the participant relying on the other person for help in answering some or many of the questions. At the end of each module the interviewer indicated the amount of help the participant received and who provided that help. That assessment is covered by codes 1 through 5. Additionally, a code of 7 indicates that the entire interview was administered to a proxy while a code of 6 indicates that this particular module was answered by a proxy but other modules were answered by the participant.

kdbrel: Relationship of Abbreviated Diabetes Knowledge Test (DKT) Module helper or proxy to Participant.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kdbstat, y_dbproxy1, y_dbhelp0, y_dbhelp1, y_dbhelp2_hfn, y_dbhelp3, y_h1fn-y_h4fn, y_pfn, prxyfnam, y_p1fn-y_p5fn, y_prel, prxyrel, y_p1rel-y_p5rel

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-2	Inappropriate Inap, not in sample (y_dbrand != 1 and y_x1a3 != 1) or kdbstat=1,2,-3	1609	1764	3373
0	SPOUSE	11	1	12
8	DAUGHTER	1	1	2
43	SISTER	1	0	1
48	SON	1	0	1

Note: If this module was administered via proxy or if the participant received help answering the questions in this module then we record the relationship of the proxy/helper to the participant. Although most participants relied on only one helper or proxy for the interview, some had more than one. Thus the value of the relationship code may vary across the modules.

kx570re: Summary of whether Participant was eligible to be assessed using the abbreviated Diabetes Knowledge Test (DKT).

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx342re, y_dbrand

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
1	ELIGIBLE, IN 15% SUB-SAMPLE BUT DID NOT REPORT DIABETES DIAGNOSIS	203	201	404
2	ELIGIBLE, IN 15% SUB-SAMPLE AND ALSO REPORTED DIABETES DIAGNOSIS	55	53	108
3	ELIGIBLE, NOT IN 15% SUB-SAMPLE BUT REPORTED DIABETES DIAGNOSIS	264	194	458
4	NOT ELIGIBLE	1107	1320	2427

Note: Participants were eligible to be assessed using the abbreviated DKT if they reported being diagnosed as a diabetic (see KX342RE in the Health Module) or if they belonged to the random 15% sub-sample selected to be tested regardless of whether they reported such a diagnosis. Although the abbreviated DKT should have been administered to all eligible participants, interviewing errors may - in rare cases - have resulted in it being skipped.
Note: The following preface was used to introduce the abbreviated DKT to participants who did not report a diabetes diagnosis (code "1"): "Next we are going to ask some questions about information that is especially relevant for people with diabetes. Even though you said you did not have diabetes, it is important for us to ask these questions to some people without diabetes so we are able to compare answers." For participants who did report a diabetes diagnosis (codes "2" and "3"), the preface was simplified to read, "Next we are going to ask some questions about information related to diabetes."

kx571re: Number of questions attempted if all seven abbreviated Diabetes Knowledge Test (DKT) items were administered to Participant.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, kx575re, kx576re, kx577re, kx578re, kx579re, kx580re, kx581re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3 | KX575RE = -4 | KX576RE = -4 | KX577RE = -4 | KX578RE = -4 | KX579RE = -4 | KX580RE = -4 | KX581RE = -4)	1108	1320	2428
0	NO QUESTIONS ATTEMPTED	1	0	1
1		1	0	1
2		5	2	7
3		7	4	11
4		12	11	23
5		30	23	53
6		73	70	143
7	ALL QUESTIONS ATTEMPTED	387	336	723

Note: If one or more of the seven questions comprising the abbreviated DKT was not asked of an eligible participant, this variable has been assigned a value of "-2". See KX570RE for more information on the participant's eligibility to be assessed. An eligible participant who was asked all seven DKT items was deemed not to have attempted a question if, rather than guessing at the answer, they indicated they did not know or refused to provide a response. For the number of questions answered correctly among participants who attempted all seven abbreviated DKT items, see KX572RE; for the number of questions answered correctly among participants who were asked all seven items (regardless of whether all items were attempted or not), see KX573RE.
Note: Only DKT items #2, 3, 5, 7, 8, 12, and 14 were asked of participants. Click here for an overview of the unabridged DKT.

kx572re: Number of questions answered correctly if Participant attempted all seven abbreviated Diabetes Knowledge Test (DKT) items.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, kx571re, kx575re-kx581rec

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	INAPPROPRIATE INAPPROPRIATE (KX571RE != 7)	1237	1430	2667
0	NO QUESTIONS ANSWERED CORRECTLY	3	0	3
1		11	8	19
2		33	31	64
3		92	69	161
4		104	81	185
5		77	75	152
6		41	44	85
7	ALL QUESTIONS ANSWERED CORRECTLY	26	28	54

Note: Participants who did not attempt all seven DKT items (see KX571RE) have been assigned values of "-2" on this variable; for a measure that also includes participants who did not attempt all seven items, see KX573RE. If one or more of the seven questions comprising the abbreviated DKT was not asked of an eligible participant, this variable has been assigned a value of "-2". See KX570RE for more information on the participant's eligibility to be assessed.
Note: Only DKT items #2, 3, 5, 7, 8, 12, and 14 were asked of participants. Click here for an overview of the unabridged DKT.

kx573re: Number of questions answered correctly if all seven abbreviated Diabetes Knowledge Test (DKT) items were administered to Participant.

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, kx571re, kx575re-kx581rec

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3 | KX575RE = -4 | KX576RE = -4 | KX577RE = -4 | KX578RE = -4 | KX579RE = -4 | KX580RE = -4 | KX581RE = -4)	1108	1320	2428
0	NO QUESTIONS ANSWERED CORRECTLY	7	0	7
1		26	23	49
2		70	55	125
3		121	99	220
4		133	107	240
5		90	88	178
6		43	46	89
7	ALL QUESTIONS ANSWERED CORRECTLY	26	28	54

Note: This variable treats DKT questions that the participant did not attempt (see KX571RE) as incorrectly answered; for the number of questions answered correctly among participants who attempted all seven items, see KX572RE. If one or more of the seven questions comprising the abbreviated DKT was not asked of an eligible participant, this variable has been assigned a value of "-2". See KX570RE for more information on the participant's eligibility to be assessed.
Note: Only DKT items #2, 3, 5, 7, 8, 12, and 14 were asked of participants. Click here for an overview of the unabridged DKT.

kx575re: Participant's answer to Diabetes Knowledge Test (DKT) item #2: 'Which of the following is highest in carbohydrate?'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, y_dktf2

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3)	1107	1320	2427
-1	DON’T KNOW	24	16	40
1	BAKED CHICKEN	29	15	44
2	SWISS CHEESE	61	63	124
3	BAKED POTATO	328	280	608
4	PEANUT BUTTER	74	72	146

Note: The correct answer is "baked potato" (3). See KX575REC for the relative frequency of correct versus incorrect responses. For more information on the unabridged DKT, click here.

kx575rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #2 correctly: ’Which of the following is highest in carbohydrate?’

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx575re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate INAPPROPRIATE (KX575RE < 1)	1132	1336	2468
0	ANSWERED INCORRECTLY	164	150	314
1	ANSWERED CORRECTLY	328	280	608

Note: The correct answer is "baked potato." See KX575RE for the participant's answer, as well as all response options. For more information on the unabridged DKT, click here.

kx576re: Participant's answer to Diabetes Knowledge Test (DKT) item #3: 'Which of the following is highest in fat?'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, y_dktf3

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3)	1107	1320	2427
-1	DON'T KNOW	16	11	27
1	LOW FAT MILK	170	145	315
2	ORANGE JUICE	12	4	16
3	CORN	241	244	485
4	HONEY	77	42	119

Note: The correct answer is "low fat milk" (1). See KX576REC for the relative frequency of correct versus incorrect responses. For more information on the unabridged DKT, click here.

kx576rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #3 correctly: 'Which of the following is highest in fat?'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx576re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate INAPPROPRIATE (KX576RE < 1)	1124	1331	2455
0	ANSWERED INCORRECTLY	330	290	620
1	ANSWERED CORRECTLY	170	145	315

Note: The correct answer is "low fat milk." See KX576RE for the participant's answer, as well as all response options. For more information on the unabridged DKT, click here.

kx577re: Participant's answer to Diabetes Knowledge Test (DKT) item #5: 'Glycosylated hemoglobin (hemoglobin A1C) is a test that is a measure of your average blood glucose level for the past ___.'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, y_dktf5

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3)	1107	1320	2427
-1	DON'T KNOW	90	76	166
1	DAY	96	80	176
2	WEEK	42	27	69
3	8-12 WEEKS	157	151	308
4	6 MONTHS	131	112	243

Note: The correct answer is "8-12 weeks" (3). See KX577REC for the relative frequency of correct versus incorrect responses. For more information on the unabridged DKT, click here.

kx577rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #5 correctly: 'Glycosylated hemoglobin (hemoglobin A1C) is a test that is a measure of your average blood glucose level for the past ___.'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx577re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate INAPPROPRIATE (KX577RE < 1)	1198	1396	2594
0	ANSWERED INCORRECTLY	269	219	488
1	ANSWERED CORRECTLY	157	151	308

Note: The correct answer is "8-12 weeks." See KX577RE for the participant's answer, as well as all response options. For more information on the unabridged DKT, click here.

kx578re: Participant's answer to Diabetes Knowledge Test (DKT) item #7: 'What effect does unsweetened fruit juice have on blood glucose?'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, y_dktf7

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-3	REFUSED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3)	1107	1320	2427
-1	DON’T KNOW	34	35	69
1	LOWERS IT	126	75	201
2	RAISES IT	184	188	372
3	HAS NO EFFECT	171	148	319

Note: The correct answer is "raises it" (2). See KX578REC for the relative frequency of correct versus incorrect responses. For more information on the unabridged DKT, click here.

kx578rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #7 correctly: ’What effect does unsweetened fruit juice have on blood glucose?’

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx578re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate INAPPROPRIATE (KX578RE < 1)	1143	1355	2498
0	ANSWERED INCORRECTLY	297	223	520
1	ANSWERED CORRECTLY	184	188	372

Note: The correct answer is "raises it." See KX578RE for the participant's answer, as well as all response options. For more information on the unabridged DKT, click here.

kx579re: Participant's answer to Diabetes Knowledge Test (DKT) item #8: 'Which should not be used to treat low blood glucose?'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, y_dktf8

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-3	REFUSED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3)	1107	1320	2427
-1	DON'T KNOW	42	18	60
1	3 hard candies	94	61	155
2	1/2 cup orange juice	20	27	47
3	1 cup diet soft drink	227	223	450
4	1 cup skim milk	132	117	249

Note: The correct answer is "1 cup diet soft drink" (3). See KX579REC for the relative frequency of correct versus incorrect responses. For more information on the unabridged DKT, click here.

kx579rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #8 correctly: 'Which should not be used to treat low blood glucose?'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx579re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate INAPPROPRIATE (KX579RE < 1)	1151	1338	2489
0	ANSWERED INCORRECTLY	246	205	451
1	ANSWERED CORRECTLY	227	223	450

Note: The correct answer is "1 cup diet soft drink." See KX579RE for the participant's answer, as well as all response options. For more information on the unabridged DKT, click here.

kx580re: Participant's answer to Diabetes Knowledge Test (DKT) item #12: 'Eating foods lower in fat decreases your risk for ___.'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, y_dktf12

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3)	1107	1320	2427
-1	DON'T KNOW	15	9	24
1	Nerve Disease	8	3	11
2	Kidney Disease	17	19	36
3	Heart Disease	472	412	884
4	Eye Disease	4	3	7

Note: The correct answer is "heart disease" (3). See KX580REC for the relative frequency of correct versus incorrect responses. For more information on the unabridged DKT, click here.

kx580rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #12 correctly: 'Eating foods lower in fat decreases your risk for ___.'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx580re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate INAPPROPRIATE (KX580RE < 1)	1123	1329	2452
0	ANSWERED INCORRECTLY	29	25	54
1	ANSWERED CORRECTLY	472	412	884

Note: The correct answer is "heart disease." See KX580RE for the participant's answer, as well as all response options. For more information on the unabridged DKT, click here.

kx581re: Participant's answer to Diabetes Knowledge Test (DKT) item #14: 'Which of the following is usually not associated with diabetes?'

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx570re, y_dktf14

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-4	NOT ASCERTAINED	1	0	1
-2	INAPPROPRIATE INAPPROPRIATE (KX570RE != 1, 2, OR 3)	1107	1320	2427
-1	DON’T KNOW	12	10	22
1	Vision Problems	6	7	13
2	Kidney Problems	6	1	7
3	Nerve Problems	79	57	136
4	Lung Problems	413	371	784

Note: The correct answer is "lung problems" (4). See KX581REC for the relative frequency of correct versus incorrect responses. For more information on the unabridged DKT, click here.

kx581rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #14 correctly: ’Which of the following is usually not associated with diabetes?’

Data source: Sibling Participant or Proxy Collected in: 2011 Mode: In person & telephone
Source variables: kx581re

		Frequencies		
Value	**Label**	**Male**	**Female**	**Total**
.	System missing - NR	2736	2510	5246
-30	NOT PART OF MOSAQ	72	63	135
-27	NOT ASKED OF PROXY	5	2	7
-2	Inappropriate INAPPROPRIATE (KX581RE < 1)	1120	1330	2450
0	ANSWERED INCORRECTLY	91	65	156
1	ANSWERED CORRECTLY	413	371	784

Note: The correct answer is "lung problems." See KX581RE for the participant's answer, as well as all response options. For more information on the unabridged DKT, click here.

Table of Contents

In Person: Abbreviated Diabetes Knowledge Test (DKT) 1
kdbstat: Was the Abbreviated Diabetes Knowledge Test (DKT) Module completed by Participant alone, with help, or by proxy? 2
kdbrel: Relationship of Abbreviated Diabetes Knowledge Test (DKT) Module helper or proxy to Participant. 2
kx570re: Summary of whether Participant was eligible to be assessed using the abbreviated Diabetes Knowledge Test (DKT). 3
kx571re: Number of questions attempted if all seven abbreviated Diabetes Knowledge Test (DKT) items were administered to Participant. 4
kx572re: Number of questions answered correctly if Participant attempted all seven abbreviated Diabetes Knowledge Test (DKT) items. 5
kx573re: Number of questions answered correctly if all seven abbreviated Diabetes Knowledge Test (DKT) items were administered to Participant. 6
kx575re: Participant's answer to Diabetes Knowledge Test (DKT) item #2: 'Which of the following is highest in carbohydrate?' 7
kx575rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #2 correctly: 'Which of the following is highest in carbohydrate?' 8
kx576re: Participant's answer to Diabetes Knowledge Test (DKT) item #3: 'Which of the following is highest in fat?' 9
kx576rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #3 correctly: 'Which of the following is highest in fat?' 9
kx577re: Participant's answer to Diabetes Knowledge Test (DKT) item #5: 'Glycosylated hemoglobin (hemoglobin A1C) is a test that is a measure of your average blood glucose level for the past ___.' 10
kx577rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #5 correctly: 'Glycosylated hemoglobin (hemoglobin A1C) is a test that is a measure of your average blood glucose level for the past ___.' 11
kx578re: Participant's answer to Diabetes Knowledge Test (DKT) item #7: 'What effect does unsweetened fruit juice have on blood glucose?' 11
kx578rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #7 correctly: 'What effect does unsweetened fruit juice have on blood glucose?' 12
kx579re: Participant's answer to Diabetes Knowledge Test (DKT) item #8: 'Which should not be used to treat low blood glucose?' 13
kx579rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #8 correctly: 'Which should not be used to treat low blood glucose?' 13
kx580re: Participant's answer to Diabetes Knowledge Test (DKT) item #12: 'Eating foods lower in fat decreases your risk for ___.' 14
kx580rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #12 correctly: 'Eating foods lower in fat decreases your risk for ___.' 15
kx581re: Participant's answer to Diabetes Knowledge Test (DKT) item #14: 'Which of the following is usually not associated with diabetes?' 15
kx581rec: Summary of whether Participant answered Diabetes Knowledge Test (DKT) item #14 correctly: 'Which of the following is usually not associated with diabetes?' 16